

(A) Introduction. Chemistry 2211A "Metals in Life"

Metals in Life Chem 2211A (2016)

(A) L1-L8: Introduction - Complete overview of the course

Instructor: Martin Stillman

Office: Lower Ground Floor Chemistry Building ChB064

Always book appointments if possible: Martin.Stillman@uwo.ca

Special Information:

Course outline (detailed lecture sequence) on the web as file: 2211CourseOutline.pdf (on the uwo.ca/chem. site now)

Check instruct.uwo.ca/chemistry/2211a

watch spelling! NOTE: This is NOT OWL. No "www"

and "www.facebook.com/chemistryatwestern"

No quotes.


and MJS: "stillmangroup.ca"

details our research

and also MJS "www.facebook.com/stillmanbioinorganicgroup" "chatter"


and also MJS' CanBIC conference: "canbic.ca"

Dates Lectures Mon - Wed - Fri 9:30 ChB 9 --



Texts: Best is the new 2nd edition of Kaim, Schwederski & Klein (KS&K)- "Bioinorganic Chemistry: Inorganic elements in the chemistry of life" in the book store ISSN: 1939-5175

Others in the library include the old Kaim & Schwederski (K-S)- Roat-Malone (R-M) - 2nd Ed.-new but restricted in content - then Lippard-Berg (very old); then look at Inorganic Texts - Shriver & Atkins (S&A) (5th Ed) - not very good unfortunately; Ch 29 in Housecroft & Sharpe - pretty good - although short. Bertini is complicated to read, Kraatz is very specific but interesting.



2211A-(A)-INTRO-L1-L8-2016Sept8-16r-cdE.docx On 11-Sep-16 r16-abcdE

Summary of course outline 2016 Sept 12

Mid Term 21st Oct. 9³⁰ - 10²⁰ Nat Sci 7

Content - Introduction 8 lectures - the whole course

Inorganic chemistry

Biochem

Methods

Chlorophyll - Mg^{2+} - track the electrons & H^+

Redox via metals

Zn, Cu, Fe

Metals in Medicine

Toxic metals

1 Introduction to "Bioinorganic Chemistry" or may be "Metals in Life"

(see KSK p1-20; 22-35, and 82-90; 327-348 and 368)**

**selected passages and to be revisited throughout the course.

... Why study bioinorganic chemistry?

To answer questions about metals and their roles in life's processes:



*Vit B₁₂
Cobalamin
Co²⁺*

- (i) Incorporation of metals into Life's processes - we are what we evolved from? Just C, N, O, H? *critical*
- (ii) Putting metals in context - what fraction of life are they? *- v. small but*
- (iii) How do we classify the metals in any organism? Either from what's in the organism (content) or what the organism needs to live healthily (nutrition).
- (iv) We -that's mammals really- contain lots of Ca and must ingest quite a lot each day (about 1,300 mg) but only ingest about 20 mg Fe each day - but for Co - ah, I don't mean Co, I mean cobalamin (Vit B₁₂) - it lasts for 5 years - so pig out on some red meat every so often. So, speciation matters.
- (v) Bulk by mass or fraction - mostly oxygen! (ca. 45 kg* or 65% - really mostly water..); -- most prominent metal, yes, Ca - 1.5% or 1 kg - in our *70 kg 'man'.
- (vi) The least? Possibly Co < 3 mg - but think about this as a fraction - 0.003/70,000.00 - that %? Consider how to measure that..... hmmm not really a very nice thought. Really needs a super - Chem 3372B experiment.
- (vii) Then: Nutrition - what we need to eat to stay healthy -
- (viii) Primary Nutrients or Macronutrients are CHNOPS and *Ca Mg Zn Na Cl.*
- (ix) Macro- and Micro-minerals (remember - C HOPKiNS Coffee Mug with zany salt) + ok - we'll decode this in a minute - 13 elements with Rec Daily Intake > 1 mg/day-
- (x) What processes involve metals directly in Nature?
- (xi) We can choose randomly - What about; Mg, Fe, Cd, Pb, As? Only Mg & Fe for sure.
- (xii) How many metals do humans need to eat?

PORPHYRIN

Fe in heme -

Iron is coordinated by 4 nitrogens of the porphyrin ligand



= hemoglobin O_2 transporter

→ myoglobin O_2 storage
in muscles

All defined as heme proteins

In the lungs Fe^{II} hemoglobin binds 4 O_2 molecules.

Inorganic section

(xiii) Where do these elements come from in the Periodic Table? Is there a pattern? A trend?

(xiv) The metals to know - what do we have to memorize?

(xv) Metals in the sea and metals in humans ...quite a trend

(xvi) Food with metals - eg Cobalt for Vit B12? Needs to come with the B12.. can't be made in humans, without Vit B12? Calamity.

(xvii) We are what we eat - note Ca, Fe, Mg, Zn - from where? Ideas? See later.

(xviii) Functions of metals - it is considered that more than 40% of proteins require metals to work - which proteins? How do they work?

(xix) How metals actually carry out their biological function: coordination by ligands - donor atoms in proteins

(xx) Consider Fe in heme: see KSK 82-90

(xxi) Why are some metals essential and some not? Toxicity and Essentiality - coexist?

(xxii) Can we define essential vs. toxic for a metal, easily? KSK 327

No - consider Ca vs Pb vs Cd
Yes

(xxiii) Metals in medicine. How can we use metals therapeutically? KSK 369

a. Treat deficiencies Cu, Fe, Zn...

b. Treat disease - Bi, Pt, Li, Au, V - insulin,

c. Diagnostics - radiopharmaceuticals - Mo, NaI,

d. Imaging ^{99m}Tc, Gd,

e. Cause diseases other than toxic metals? Well may be Cu & Zn in Alzheimer's Disease KSK 1se (AD)

(xxiv) Which are the common, absolutely essential metals of life? See the Periodic Table

(xxv) Which are absolutely always toxic? What about Pb? As? Cd? Easy? Cu? Cr? Not so easy?

(xxvi) Back to the Periodic Table

Start FRIDAY 16th Sept

Questions to answer:

We study Bioinorganic Chemistry to:

Answer questions about metals and their roles in living organisms

And, to determine What physiological processes involve metals directly?

And also to Learn from Nature - how to mimic the processes of life synthetically.

From these studies: We understand the intricate workings of physiological chemistry → nutrition; curing disease (*); recognizing toxic metals (**)

A definition or two - BioInorganic Chemistry is...

"the interface between inorganic chemistry and biology" or

"about how metals function *in vivo* (meaning in living biological systems)" or

"about how metals pass through physiological systems from absorption to transport to use to excretion"

Aspects of current research:

-develop mimics of natural chemistry

-understand how metalloproteins work - how is the coordination chemistry tuning the chemistry?


-probe how metals control protein folding?

-work out how to 'improve' on Nature - curing disease or accidental damage

So, then what is Bioinorganic Chemistry

- Broadly defined, bioinorganic chemistry is the study of inorganic elements, with an emphasis on metals, in living systems.

1. Which elements are necessary for life?
2. How about their chemical speciation?
3. What are their physiological roles?
4. What are their mechanisms of action?
5. How did we evolve to use those elements?
6. Why are some metals toxic?
7. Can metals be used therapeutically?



- Chem 2211a will explore those questions and examine the role of selected elements in humans and other organisms. This section introduces the topic of essential elements and the importance of chemical speciation.

Monday

Look at CBC market place advert
Cd in jewellery

(A) Introduction. Chemistry 2211A "Metals in Life"

* **James Lind** FRSE FRCPE (4 October 1716 in Edinburgh – 13 July 1794 in Gosport) was a Scottish physician. He was a pioneer of naval hygiene in the Royal Navy.

By conducting the first ever clinical trial, ^[1] **he developed the theory that citrus fruits cured scurvy.**

Scurvy is a disease now known to be caused by a deficiency of Vitamin C, but in Lind's day, the concept of vitamins was unknown. Vitamin C is necessary for the maintenance of healthy connective tissue. In 1740 the catastrophic result of Anson's circumnavigation attracted much attention in Europe; out of 1900 men, 1400 had died, most of them allegedly from having contracted scurvy. According to Lind, scurvy caused more deaths in the British fleets than French and Spanish arms. ^[4]

He divided twelve scorbutic sailors into six groups. They all received the same diet but, in addition, group one was given a quart of cider daily, group two twenty-five drops of elixir of vitriol (sulfuric acid), group three six spoonfuls of vinegar, group four half a pint of seawater, group five received two oranges and one lemon, and the last group a spicy paste plus a drink of barley water. The treatment of group five stopped after six days when they ran out of fruit, but by that time one sailor was fit for duty while the other had almost recovered. Apart from that, only group one also showed some effect of its treatment.

(http://en.wikipedia.org/wiki/James_Lind)

****Can wearing a copper bracelet cure arthritis?**



Arthritis is a condition that results in deterioration and loss of the joint surface cartilage, where the repair process fails to keep up with the breakdown. Copper bracelets have long been sold as a cure for arthritis. Vendors propose that the metal is absorbed through the skin and helps cartilage regeneration. But there are certain facts you should know before you rush out and buy that bracelet.

According to the Center for Hand and Upper Extremity Surgery at UAMS, copper deficiency is extremely rare and most regular diets provide enough copper to meet the daily requirements. Research has shown that excessive copper can result in poisoning. This can be seen after ingesting foods boiled in copper vessels or from contamination of water from corroding copper pipes, causing vomiting and, in severe cases, liver damage. In reality no modality of treatment has been shown to cure or reverse the changes of arthritis.

(<http://www.uamshealth.com/?id=882&sid=1>)

Table 1
A COMPARISON OF THE BIBLICAL AND THE SCIENTIFIC SEQUENCE
AND TIME TABLE FOR EVOLUTION

Biblical			Scientific	
Day	Creation of	Years ($\times 10^6$)	Evolution	Appearance of
1	Light, night, day	4600	Chemical Atomic Inorganic compounds	H, He, Li, Be, B, C, N, O, F, Na, Mg, Al, Si, P, S, Cl H ₂ , N ₂ , H ₂ O, CH ₄ , NH ₃ , CO, CO ₂ ; No O ₂
2	Firmament	4000	Biological Organic compounds	Aldehydes, carboxylic acids, amino acids
3	Land, water, sea	3500	Anaerobic bacteria	Life Photosynthesis
4	Grass	2500	Anaerobic photosynthetic bacteria	
		2000	Eukaryotic cells	Oxygen atmosphere Oxidative phosphorylation Protein synthesis
		1500	Multicellular plants	
5	Creatures in water, fowls, whales	1000	Multicellular animals	Genetic transcription
6	Vertebrates, mammals Man	400 <0.1	Modern man	

Cyanobacteria are micro-organisms that live primarily in seawater. They are believed to have been the first organisms on Earth to perform oxygenic photosynthesis.
Nature **455**, 1101-1104 (2008)

REFERENCES

1. Genesis 1:1-5.
2. Genesis 1:6-8.
3. Genesis 1:9,10.
4. Genesis 1:11-13.
5. Genesis 1:14-19.
6. Genesis 1:20-23.
7. Genesis 1:24.

In the beginning - the hot, dusty, anaerobic atmosphere gave way to the clear, oxygen-rich atmosphere of today - about 2.2 Gyr ago.

Before that life evolved - but how? And, what does this mean?

Life requires elements to form compounds and to provide a means for biological chemistry to take place - this meant synthesizing a vast number of complex organic molecules and finding a way to obtain the energy required to sustain life.

Metals provided some of the tricky chemistry needed, but which metals to choose?

1046c1

- consider the human body-1...

We separate amounts into

1. Primary Nutrients or Macronutrients are

→ CHNOPS,

2. Macro- and Micronutrients

3. CHOP i K N S coffee mug with zany salt or

CHOPKNS Ca Fe Mg with Zn Na Cl - groan
(trace- (<1000µg/day) Cr-Cu-I-Mo-Se)

- watch out - Ni?

4. May be essential in the diet-Si for sure.

5. What surprises you?

6. Do we know what each of these elements does?

7. Are all of the elements found in the body essential elements? No.


8. There is no connection between the amount of an element and whether it is essential or not. Examples:

- a. A relatively large amount of Rb exists, but it has no biological function.
- b. There is very little V, but it is an essential element.

9. What is their environment? (=coordination of each metal) - N-3 P-5 Cu²⁺-6

10. We need to look at the metal-containing proteins - really the ligands that are part of these proteins

11. How do we handle these concentration units



Dk-bulk-H; lighter-macro; light-micro; yellow-probably

Cu⁺ - 4

light green

donor atom - ie S in cysteine

L-B	R-M	K-S	Problems to do
1-2	P 1-2	6-15; esp. p 7	Research the terms Macronutrient and Micronutrient using the internet

* It is not necessary to memorize this table.

(A) Introduction. Chemistry 2211A "Metals in Life"

For 70 kg human we find (please note that these values are particularly variable at the low end):

Element	Mass	Ratio	Element	Mass	Ratio	Element	Mass	Ratio
oxygen	43 kg	61%	aluminum	60 mg	857 ppb	silver	2 mg	29 ppb
carbon	16 kg	23%	cadmium	50 mg	714 ppb	niobium	1.5 mg	21 ppb
hydrogen	7 kg	10%	cerium	40 mg	571 ppb	zirconium	1 mg	14 ppb
nitrogen	1.8 kg	2.60%	barium	22 mg	314 ppb	lanthanum	0.8 mg	11 ppb
calcium	1 kg	1.40%	iodine	20 mg	286 ppb	gallium	0.7 mg	10 ppb
phosphorus	780 g	1.10%	tin	20 mg	286 ppb	tellurium	0.7 mg	10 ppb
potassium	140 g	0.20%	titanium	20 mg	286 ppb	yttrium	0.6 mg	8.6 ppb
sulfur	140 g	0.20%	boron	18 mg	257 ppb	bismuth	0.5 mg	7.1 ppb
sodium	100 g	0.14%	nickel	15 mg	214 ppb	thallium	0.5 mg	7.1 ppb
chlorine	95 g	0.14%	selenium	15 mg	214 ppb	indium	0.4 mg	5.7 ppb
magnesium	19 g	271 ppm	chromium	14 mg	200 ppb	gold	0.2 mg	2.9 ppb
iron	4.2 g	60 ppm	manganese	12 mg	171 ppb	scandium	0.2 mg	2.9 ppb
fluorine	2.6 g	37 ppm	arsenic	7 mg	100 ppb	tantalum	0.2 mg	2.9 ppb
zinc	2.3 g	33 ppm	lithium	7 mg	100 ppb	vanadium	0.11 mg	1.6 ppb
silicon	1 g	14 ppm	cesium	6 mg	86 ppb	thorium	0.1 mg	1.4 ppb
rubidium	0.68 g	10 ppm	mercury	6 mg	86 ppb	uranium	0.1 mg	1.4 ppb
strontium	0.32 g	5 ppm	germanium	5 mg	71 ppb	samarium	50 µg	710 ppt
bromine	0.26 g	4 ppm	molybdenum	5 mg	71 ppb	beryllium	36 µg	510 ppt
lead	0.12 g	2 ppm	cobalt	3 mg	43 ppb	tungsten	20 µg	290 ppt
copper	72 mg	1 ppm	antimony	2 mg	29 ppb			

KSK p8 – slightly different values but always close.

— Wednesday

(A) Introduction -Chemistry 2211A "Metals in Life"

1046c1

- consider the human body-2...

First - how do we calculate concentrations?

Units?

Parts per million (1 in 10^6)

Parts per billion (1 in 10^9)

Also - a recent controversy over As in place of P ... see next page for details but what is the implication - lots of As and very small amounts of P.

Zn - (on p 10 shows as 2.3g)
Se " " 15mg

Questions on this page on the mid term

L-B	R-M	K-S	Problems to do
1-2	P 1-2	6-15; esp. p 7	Research the terms Macronutrient and Micronutrient using the Internet

COMPOSITION OF THE HUMAN BODY

1- Up to 35 elements found - are all essential?

Bulk	Macromineral	Micromineral
Lots: kg & g	≥ 5 gm	less: 1-100 ppm not much: < 1 ppm**

**It's tricky to determine these amounts - can you think of why that might be?

How to convert mass in grams to ppm? It's all about the right ratios.

Eg

1) If 0.2 mg of NaCl (a small grain of sand) is added to a 44 gal barrel of water (44 Imp gal approx $\times 4.54 = 200$ L) this then has a mass of approx 200 kg.

So: $0.2 \text{ mg} / 200 \text{ kg} = 0.0002 \text{ g} / 200,000 \text{ g} = 1 \text{ ppb}$ (1 part in 10^9 by mass)

2) - So what is the concentration of arsenic in our 70 kg human? (In ppm). (about 3 mg in 70 kg = ??)

3) And the concentration in ppm of zinc is? (1750 mg)

4) And, selenium? (2 mg)

5) A thought - how can such vastly different concentration be equally important to the health of an organism - say, humans?

Not on any 2211a test

(A) Introduction -Chemistry 2211A "Metals in Life"

"But now researchers have coaxed a microbe to build itself with arsenic in the place of phosphorus, an unprecedented substitution of one of the six essential ingredients of life. The bacterium appears to have incorporated a form of arsenic into its cellular machinery, and even its DNA, scientists report online Dec. 2 in *Science*." *Science News*

"The bacterium in arsenic-rich Mono Lake was said to redefine the building blocks of life, surviving and growing by swapping phosphorus for arsenic in its DNA and cell membranes. Biologists consider these six elements as necessary for life: carbon, hydrogen, nitrogen, oxygen, phosphorus and sulfur. Arsenic is similar to phosphorus but is typically poisonous to living organisms. " [KERRY SHERIDAN, AGENCE FRANCE-PRESSE](#) | Jul 9, 2012 9:56 AM ET

Richard A. Lovett for [National Geographic News](#) Published July 9, 2012

It was hailed in 2010 as the most "alien" life-form yet: bacteria that reportedly, and unprecedentedly, had rewritten the recipe for DNA. And the secret ingredient was arsenic. But now two new studies seem to have administered a final dose of poison to the already controversial finding.

Researchers led by then [NASA astrobiologist Felisa Wolfe-Simon](#) had found the organism, dubbed GFAJ-1, in arsenic-rich sediments of California's Mono Lake. They later reported in the journal *Science* that the bacterium thrived in arsenic-rich, phosphorus-poor lab conditions. The team concluded that GFAJ-1 must be incorporating arsenic into its DNA in place of phosphorous, which is essential for the DNA of all other known organisms. (Get a [genetics overview](#).) The find was exciting to astrobiologists, who'd previously speculated that extraterrestrial life might survive in unexpected places if only such a swap were possible—arsenic and phosphorous being chemically similar. (Related: "[Saturn's Largest Moon Has Ingredients for Life?](#)") Soon after the announcement, though, other researchers began saying they were having trouble replicating Wolfe-Simon's results. Those criticisms were finally given formal voice Sunday in the form of two different studies with very similar results.

The new studies, also published in *Science*, found that the bacterium did in fact grow in the conditions described in the 2010 study.

But when the amount of phosphorous was reduced even further than in Wolfe-Simon's experiments, GFAJ-1 stalled. Furthermore, biologist [Rosemary Redfield](#) writes in the new study, no signs of arsenic could be found in GFAJ-1's DNA. **The new conclusion: the arsenic-loving life-form does in fact need phosphorous to grow, but shockingly tiny amounts of it.**

Not Backing Down

Wolfe-Simon, now of the Lawrence Berkeley National Laboratory, stands by her results. The new paper, she said, shows only that the arsenic doesn't show up in the DNA, not that the organism never uses it. The fact that the organism has extreme resistance to arsenic and takes it up from the environment means that something unusual is happening with that arsenic, Wolfe-Simon said by email. "We are working to define where the arsenate is [in the organism], rather than where it is not," she said. "How does GFAJ-1 thrive in such high levels of arsenic? Where is the arsenic going? This is our continued focus."

Arsenic Tolerance No Sign of "Second Genesis"

For astrobiologists, the new finding is a disappointment but not a severe setback in the search for alien life. The 2010 study sprang from a quest proposed by astrobiologist [Paul Davies](#), director of the BEYOND Center for Fundamental Concepts in Science at Arizona State University, Tempe. Davies encouraged scientists to look for organisms on Earth so exotic that they must have come not just from a different branch of our own tree of life but from an entirely separate founding ancestor. If we could find such organisms, Davies suggested, they would indicate that life originated more than once here on Earth—a "second genesis." And if life began more than once here, it would seem more likely that life exists on other earthlike planets. The new papers have no impact on this quest, he said, because genetic studies had already indicated that GFAJ-1 is related to other known bacteria.

"It was clear from early on," he said, "that GFAJ-1 did not constitute evidence for a second genesis."

Elias, M. *et al.* *Nature* <http://dx.doi.org/10.1038/nature11517> (2012).

The latest paper shows that the "arsenic monster" GFAJ-1 goes to a huge amount of effort, "even more than other life", to avoid arsenate, says Wolfgang Nitschke from the Mediterranean Institute of Microbiology in Marseilles, France, who co-authored a commentary questioning the conclusion that GFAJ-1 could replace phosphate with arsenate⁴. "This shows clearly that life doesn't like arsenate in cytoplasm," he says.

need to know

What Is an Essential Element?

In order for an element to be classified as *essential*, it must satisfy all of these criteria for *essentiality*:

- 1) When the element is removed from the diet, a physiological or structural abnormality appears. KSK 11
- 2) The addition of the element to the diet restores or relieves the abnormality.
- 3) The element has a specific biochemical function even if the function of the element is not fully understood, as in the case of many *ultratrace* elements.
- 4) The element follows a *dose-response curve*. -- see later....
- 5) Essential elements can be classified according to either the amount present in the body or the dietary requirement (recommended daily intake/allowance):

6) Bulk elements

7) Major elements / macronutrients / macrominerals

8) Minor elements / micronutrients / microminerals Trace elements Ultratrace elements

From the tables above and Periodic Table below assemble your own table:

4 essential but trace metals..
 4 toxic metals..
 4 therapeutically important metals ..

need to know

(A) Introduction -

So, we need (need?) many different metals - some quite unexpected.

Essential elements in some species or other- about 25 shown here have been identified - another 10 are considered to be essential in some organisms but their roles have not been determined (fully) - eg Cd, Sn, As

For the course -

Macronutrients: C-H-O-P-K-i-N-S-Ca-Fe-Mg-Zn-Na-Cl (13)

mnemonic- C HOPKiNS coffee mug with zany salt

Minerals= metals (plus Si, I, Se)

Dietary point of view - minerals

Macrominerals: Calcium, magnesium, sodium, potassium, phosphorus, sulfur (5) (require <12 mg/day - FDA)

Microminerals (trace-minerals): iron, silicon, vanadium, zinc, iodine, selenium, copper, manganese, fluoride, chromium, cobalt, tungsten, nickel (13)

Ultra Trace Elements (<1 mg): The following elements may be essential but deficiency has been difficult to demonstrate - molybdenum, boron, tin, lead, and arsenic have been found in animals. (5).... and more each day.

CHEMISTRY 2211A - 2016-09-11-

1A 1		2A 2																3A 13	4A 14	5A 15	6A 16	7A 17	8A 18	
1 H																		5 B	6 C	7 N	8 O	9 F	10 Ne	
2 3 Li	4 Be																	13 Al	14 Si	15 P	16 S	17 Cl	18 Ar	
3 11 Na	12 Mg	3B 3	4B 4	5B 5	6B 6	7B 7	8B 8 9 10			1B 11	2B 12													
4 19 K	20 Ca	21 Sc	22 Ti	23 V	24 Cr	25 Mn	26 Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 Kr							
5 37 Rb	38 Sr	39 Y	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	50 Sn	51 Sb	52 Te	53 I	54 Xe							
6 55 Cs	56 Ba	71 Lu	72 Hf	73 Ta	74 W	75 Re	76 Os	77 Ir	78 Pt	79 Au	80 Hg	81 Tl	82 Pb	83 Bi	84 Po	85 At	86 Rn							
7 87 Fr	88 Ra	103 Lr	104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110	111	112	113	114	115	116									

COMPLETE THE LINES FROM THE TABLE ABOVE...

Red - all essential - roles known

Blue - toxic - (but might be essential at very low concentrations)

Brown - Se - really unusual requirements - but for sure essential

Green - thought to be required in some species

Purple - toxic - but care here - Cr(III) is essential but Cr(VI) is very toxic!

Therapeutic - see a bit later - but include Cu, Ag, Au, Pt, Li, Bi, Zn and others?

BULK (12) - H, C, O, P (PO₄³⁻), K, N, S (in many forms but often RSH, RSSR, or as SO₄²⁻) Ca, Fe, Mg, Zn, Na, Cl

Macrominerals (6) - Na, K, Mg, Ca, S, P

Microminerals (12) - Fe, Si, V, Zn, I, Se, Cu, Mn, F, Cr, Co, W, Ni

ULTRA-TRACE or UNKNOWN REQUIREMENT: Mo, B, As, Sn, ~~Pb~~

Some examples ...(see next pages for more details)

OK - the good, the bad and the ugly (metals that is)..

The Good (well two examples)

Magnesium in chlorophyll

Iron in red blood cells

The bad

Cadmium in fertilizer..

The Ugly

As in pressure treated woods

Do a search - for magnesium - other examples in humans?

for cadmium - other sources for humans?

for arsenic - other human exposure? **

**Some answers to all these questions will be provided on the term test review package - can also ask at the tutorials.


The Good (second example)

Iron in heme proteins - hemoglobin KSK 82


RED BLOOD CELLS



HEMOGLOBIN 4 PARTS 4 HEMES



HEME
FE PROTOPORPHYRIN IX



The Bad (two examples)

KSK 327

Cadmium applied to soils in sewage sludge

-this means we get Cd in our veggies

=not good

Cadmium and nitrates from fertilizers cause environmental concerns

There is growing awareness throughout Western Europe about the impact fertilizers have on the environment. One concern relates to cadmium, a natural component in phosphate rock. Another centers on the nitrate content of drinking water. Some countries are further along than others in formulating laws on permissible levels of cadmium and nitrate release. And moves have been under way in Brussels toward drawing up standards for the 12 European Community member countries.

Cadmium is highly toxic, causing death of some forms of water life at concentrations of 0.1 ppm or less. It tends to accumulate in organisms over a period of time because it isn't readily eliminated.

Awareness of the health risks associated with cadmium isn't new. The element has been linked to the death and considerable physical discomfort of Japanese who ate contaminated rice grown in paddies irrigated with industrial wastewater (C&EN, Aug. 10, 1970, page 15). It is on the black list of substances cited in the framework convention for the protection of the Mediterranean Sea against pollution sponsored by the United Nations Environment Program (C&EN, Feb. 28, 1977, page 17). And the World Health Organization (WHO) has recommended that the provisional weekly intake by humans shouldn't exceed 400 to 500 μg .

Fertilizers aren't the only source of cadmium released to the environment. Cadmium is also a component of bat-

teries and tires, pigments and stabilizers, metal platings, and the powders in fluorescent light bulbs. It also occurs in gaseous effluents from incineration plants and coal-fired power stations.

In fertilizers, the amount of cadmium varies greatly from one source of phosphate supply to another. Deposits in Finland, the Soviet Union, and South Africa are lowest in cadmium, typically 3 mg per kg of the phosphate (P_2O_5) content, or even less. Jordanian rock has from 15 to 30 mg per kg of P_2O_5 . Cadmium in U.S. phosphate rock varies from about 20 to 120 mg per kg of P_2O_5 . Comparable levels for other countries where the rock occurs are 40 to 120 mg per kg of P_2O_5 in Morocco, 50 to 100 in Israel, 140 to 170 in Togo, and 220 to 280 in Senegal.

The rock's cadmium ends up in phosphoric acid and in the active ingredients of fertilizers made from it. Diammonium phosphate produced in the U.S., for example, can have from 20 to 80 mg per kg of P_2O_5 , that supplied by Tunisia 75 to 100. In the case of triple superphosphate, material from Morocco and Tunisia may contain as much as 120 mg per kg of P_2O_5 .

Denmark, Finland, the Netherlands, Sweden, and Switzerland are in the forefront of setting limits on the amount of released cadmium tolerated. Denmark aims to reduce the cadmium limit in fertilizers in stages, from 200 ppm this year to 50 ppm in 1998. Finland has a limit of 30 ppm of cadmium in fertilizer.

Authorities in the Netherlands are concerned because the mean weekly cadmium intake by the population is about 175 μg , notes Wim Sprong at the Ministry of Housing, Physical Planning & Environment in The Hague. "That means that possibly too many people are above the WHO recommended limit," he points out. "One of the problems is that we don't know precisely the form of the distribution curve."

Because cadmium is fairly easily taken up by crops, it is assimilated by dairy cattle, Sprong notes. The contention is that about half of that cadmium comes from fertilizers, half from both wet and dry deposition. "Since about 60% of the waste here in Holland is incinerated, this is an important cadmium source," he says. He admits, however, that the widespread use of cadmium by industry would make a reduction in the wet and dry deposition rates "virtually uncontrollable."

His ministry is tackling the problem on two fronts. One forbids use of plastic consumer products with cadmium used in pigments and stabilizers, and of metal items plated with cadmium. The other seeks to lower the permissible level of fertilizer cadmium ultimately to 15 ppm on the P_2O_5 -content basis from the present mean value of 70 to 80 ppm.

Apart from using low-cadmium phosphate rock, supplies of which aren't sufficient to meet all the fertilizer pro-

Thousands of Barbie accessory toys recalled after lead violation

Last Updated: Wednesday, September 5, 2007 | 11:40 AM ET

The Associated Press

The U.S. Consumer Product Safety Commission, in cooperation with Mattel Inc., announced late Tuesday that it is recalling about 675,000 Chinese-made toys that have excessive amounts of lead paint.

A display of Barbie dolls at a department store in Beijing in August. (Greg Baker/Associated Press)

The voluntary recall covers units of various Barbie accessory toys that were manufactured between Sept. 30, 2006, and Aug. 20, 2007.

"Consumers should stop using recalled products immediately unless otherwise instructed," said the agency's website.

As well, 8,900 different toys involving Big Big World 6-in-1 Bongo Band toys from the company's Fisher-Price brand were recalled. Those products were sold nationwide from July 2007 through August 2007.

25,500 toys affected in Canada

In total, there are 25,500 toys affected by the recall in Canada, including seven types of Barbie-branded accessory sets.

Cranium Cadoo Board Games Recalled Due to Violation of Lead Paint Standard
WASHINGTON, D.C. - The U.S. Consumer Product Safety Commission, in cooperation with the firm named below, today announced a voluntary recall of the following consumer product. Consumers should stop using recalled products immediately unless otherwise instructed.

Name of Product: Cranium Cadoo Board Games

Units: About 38,000

Importer: Cranium Inc., of Seattle, Wash.

Hazard: The surface paint on the die contains excessive levels of lead, violating the federal lead paint standard.

EPA Settles With Evanston Landlord for Lead-Based Paint Violations; Includes \$6,760 Penalty and Major Window Replacement Project

Font Scale:

Posted 04 September 2008 @ 11:45 am EST

CHICAGO, Sept. 4 /PRNewswire-USNewswire/ -- U.S. Environmental Protection Agency Region 5 has settled a complaint against Wesley Realty Group in Evanston, Ill., for allegedly failing to warn tenants of 11 apartment buildings that their homes may contain lead-based paint hazards. A \$6,760 penalty must be paid and a window replacement project undertaken.

And Lead in paint -

Trivial examples, unless
You are a kid of 3 who
sucks your Barbie...

<http://www.cdc.gov/nceh/lead/tips/toys>.



or much more serious -
paint in homes

Candy The potential for children to be exposed to lead from candy imported from Mexico has prompted the U.S. Food and Drug Administration (FDA) to issue warnings on the availability of lead-contaminated candy and to develop tighter guidelines for manufacturers, importers, and distributors of imported candy. Lead has been found in some consumer candies imported from Mexico. Certain candy ingredients such as chili powder and tamarind may be a source of lead exposure. Lead sometimes gets into the candy when processes such as drying, storing, and grinding the ingredients are done improperly. Also, lead has been found in the wrappers of some imported candies. The ink of these plastic or paper wrappers may contain lead that leaches into the candy.

New Requirements to Protect Children from Lead-Based Paint Hazards Release date: 03/31/2008 Contact Information: Timothy Lyons, (202) 564-4355 / lyons.timothy@epa.gov; En español: Lina Younes, (202) 564-4355 / younes.lina@epa.gov Washington, D.C. - March 31, 2008) To further protect children from exposure to lead-based paint, EPA is issuing new rules for contractors who renovate or repair housing, child-care facilities or schools built before 1978. Under the new rules, workers must follow lead-safe work practice standards to reduce potential exposure to dangerous levels of lead during renovation and repair activities

Lead paint still a
'hazard' at
playground after 15
years
Getting the Lead
out

Meghan Foley, Senior Reporter
Issue date: 5/8/08 Section:
[Getting the lead out](#)

KIDAN

(A) Introduction -Chemistry 2211A "Metals in Life"

The really Ugly (one example)

Arsenic in wood preservative
- think cottage decks and docks

As issue : drinking water in West Bengal

What to know from this?

Cd is toxic (and essential) need
Pb is toxic and no known function
requirements - always toxic -
especially to children! (2) +/- effects

As is also toxic but very small
amounts in the diet appear to be
essential

Cd / Pb / As - all toxic

... next how did "we" evolve using
so many metals?



.3081

How did we evolve to use as many metals as this?

1. This graph suggests a possible reason.
2. Why so many different metals?
3. Why is Fe used so often?
4. Which are the key metals?
5. And how did the atmosphere influence evolution?
6. We'll come back in some more detail later in section 5.

L-B	R-M	K-S	Problems to do
1-2	3	Read 6-9; 9 – shows man, earth's crust and sea water	<p>In this figure here we see that Fe is high in the crust, and quite high in man, but see Fig 2.2, p 9 in K&S, Fe is very low in sea water today. Explain this. How did mammals evolve to use Fe then?</p> <p>Account for the properties of the atmosphere.</p> <p>Account for how the pH affected incorporation of elements like Mo, Al and Ti.</p>

Rocks were dissolved in the oceans





Figure 3. A comparison of the concentrations of elements in man and the environment showing accumulation and exclusion of certain elements by man. Data from ref. 9.

We now know that metals are vital to health

How many foods do we eat contain metals?

1. Simple examples? Salt? Iron in? Vitamin B12 - what is vitamin B12? - it's a vitamin so where's the ... metal? Is this molecule common in biology? KSK 37
2. Do we have to learn this? *Yes.*



Foods with metals: Where do we obtain vit B12 from if not pills?

Practice drawing the molecule - 4 parts - the metal and its ligand; the ring; the adenine; the sugar phosphate linker - we'll come back to these porphyrin-like molecules later

L-B	R-M	K-S	Problems to do
1-2; p 5; 13- the corrin; fast forward to p 336		37-55	Identify 5 foods containing different metals using the text book or the internet or the next table- be ready to answer next class Use reaction2 on LB p 338 - the Glutamate mutase - as the example of B12 action

*5 rings
Co position
is black
cobalamin*

We now know that metals are vital to health

How many foods do we eat contain metals?

Simple examples?

1) Salt? Iron in?

2) Vitamin B12 - what is vitamin B12? - it's a vitamin so where's the ... metal? Is this molecule common in biology?

X) Do we have to learn this?

So, what do we eat? And why?

1. Ca ...muscles - nerves - skelton dev /cramps
2. Mg...bones - metabolism- energy - /confusion
3. Cr... isn't that in steel?-glucose metabolism - /diabetes
4. Cu - that's in wire? - bone formation - respiration - sorts out the chemistry ...-/ impaired respiration - weakness

coma → die

What will we study?

1. Co - vit B12 - /pernicious anemia - (anemia will not end and death ensues)
 2. Fe - lots of roles - hemoglobin - /anemia
 3. Zn - like reinforcing rods - has a structural role in many enzymes - wound healing - protein metabolism - gene chemistry / retarded growth - sterility - lots of problems
 4. And, the use of metals for therapeutic reasons - eg Pt - see LB p 16-18 KSK 369
 5. And, which metals are toxic - Hg, Cd, Pb, As KSK 327
- See more details next and later...

1. Salt - NaCl - controls fluid levels in mammals. Iron in - hemoglobin - dioxygen transport (O_2).
2. Vitamin B12 is a cofactor - the key element in an enzyme - a cofactor makes the enzyme (catalyst) active. B12 has many roles, one is the methylation of Hg(II) to make CH_3HgCl - monomethyl mercury chloride - a neural toxin.
3. B12 is everywhere - other use is in extending alkyl chains - adding CH_3 connected with Folic Acid metabolism - very serious problems - but see the unit on B12 coming up.
4. For now note Co(III) is the metal that isn't toxic but Cr(VI) was worth a movie

*http://www.rottentomatoes.com/m/erin_brockovich/
<http://www.brockovich.com/>

Metals work with the enzymes to speed up essential chemical reactions.

•“Good metals” (e.g., calcium, zinc, cobalt) are important dietary staples – but, are “bad metals” always “bad”? What about the case of Se? Does more mean better?

know ① - a source 2 - a role 3 - deficiency effects.

METAL	Sources (note the necessity of augmenting nutrients)	ESSENTIAL FUNCTIONS	SOME REPORTED Deficiency Symptoms
Calcium	milk, cheese, molasses, yogurt, dolomite Dairy, broccoli, figs, sardines	bone/tooth formation, blood clotting, heart rhythm, nerve transmission, muscle growth & contraction Muscle and nerve signaling, bone growth	heart palpitations, insomnia, muscle cramps, nervousness, arm & leg numbness, tooth decay
Chromium	brewer's yeast, clams, corn oil, whole grain cereals	blood sugar level, glucose metabolism	atherosclerosis, glucose intolerance in diabetics
Copper	legumes, nuts, organ meats, seafood, raisins, molasses, bone meal Lobster, crab, beans, nuts	bone formation, hemoglobin & red blood cell formation. "Mops up" of free radicals <i>Anti oxidant</i>	general weakness, impaired respiration, skin sores
Iodine	seafood, kelp tablets, salt (iodized)	energy production, metabolism (excess fat), thyroid gland	cold hands & feet, dry hair, irritability, nervousness, obesity
Cobalt	Leafy green vegetables; meat and dairy products	Red blood cell formation	Folic acid deficiency - pernicious anemia
Iron	molasses, eggs, fish, organ meats, poultry, wheat germ, beans, spinach	Hemoglobin production, stress & disease resistance - Red blood cell function	breathing difficulties, brittle nails, iron deficiency anemia (pale skin, fatigue), constipation
Magnesium	Dark leafy vegetables;	Strong bones and teeth, muscle contraction	confusion, disorientation, easily aroused anger, nervousness, rapid pulse, tremors
Manganese	bananas, bran celery, cereals, egg yolks, green leafy vegetables, legumes, liver, nuts, pineapples, whole grains	enzyme activation, reproduction & growth, sex hormone production, tissue respiration	ataxia (muscle coordination failure), dizziness, ear noises, loss of hearing
Phosphorus	eggs, fish grains, glandular meats, meat, poultry, yellow cheese	bone/tooth formation, cell growth & repair, energy production, heart muscle contraction, kidney function, metabolism (calcium, sugar), nerve & muscle activity	appetite loss, fatigue, irregular breathing, nervous disorders, overweight, weight loss
Potassium	dates, figs, peaches, tomato juice, blackstrap, molasses, peanuts, raisins, seafood	heartbeat, rapid growth, muscle contraction	acne, continuous thirst, dry skin, constipation, general weakness, insomnia, muscle damage, nervousness, slow irregular heartbeat, weak reflexes
Sodium	salt, milk, cheese, seafood	normal cellular fluid level, muscle contraction	appetite loss, intestinal gas, muscle shrinkage, vomiting, weight loss
Sulphur	bran, cheese, calms, eggs, nuts, fish, wheat germ	collagen synthesis, tissue formation	not known
Zinc	brewer's yeast, liver, seafood, soybeans, spinach, sunflower seeds, mushrooms oysters, chick peas, whole grains	burn & wound healing, carbohydrate digestion, reproductive organ growth & development	delayed sexual maturity, fatigue, loss of taste, poor appetite, prolonged wound healing, retarded growth, sterility

Monday

hydrogen peroxide



A quick summary of metals so far:

Regulatory action: The metal ion gradients set up between Na^+ and K^+ and Mg^{2+} and Ca^{2+} using cell membranes
 eg in the cell - pump in K^+ pump out Na^+

Roles in structural biology - particularly the skeleton and teeth: Mg^{2+} and Ca^{2+} ATPase

Roles in electron transfer: biological systems we need electrons to function and use $\text{Fe}^{2+} / \text{Fe}^{3+}$ in the cytochromes and ferredoxins, and Cu^{2+} in azurin, plastocyanin and stellacyanin. Cu^+

The enzymes carboxypeptidase and alcohol dehydrogenase use Zn^{2+} ; superoxide dismutase (SOD) uses both Cu^{2+} and Zn^{2+} O_2^-

Examples:

The enzymes horseradish peroxidase, cytochrome c peroxidase, and most important for mammals, catalase and cytochrome P450 all use Fe in oxidation states of 2+/3+ and 4+ bound to a porphyrin ring, the heme group

Oxygen (except in special circumstances) is at the key to oxidative phosphorylation - - the energy source - see LB ch 11, p 284. KSK 77-80

In mammals - hemoglobins do this using the Fe in protoporphyrin IX - heme (p 285)

In molluscs and anthropods - crabs - hemocyanin uses 2 copper atoms - LB p 297. KSK 185

In marine invertebrates - hemerythrin uses 2 non-heme Fe atoms - LB 291. KSK 92

know names of Fe 2+/3+/4+

L-B	R-M	K-S	Problems to do
	P 3-5	4	See the questions at the end

Functions inspired by .. metals:

1. Microminerals and Ultratrace - so Na / K / Ca/ Mg not included!

BUT Vital.

2. DiOxygen transport and storage O_2

3. Fe, Cu, Fe

(Twice? Yes - hemoglobin and hemerythrin - see LB p 4)

4. Electron transport and electron transfer

5. Structural control - Zn

6. All ESSENTIAL

No need to memorize connect to 3/5/6 or 1/2/3/4

L-B	R-M	K-S	Problems to do
1-2, 4-5	3-5	P 15 onwards - we do this later	No specific problem - search the internet for each metal AND one specific function - metal & molecule & activity We will look closely at Fe/Zn/Co

Table 1.3 Functions of essential macrominerals and trace elements

Element	Chief functions in the body
Calcium	Principal constituent of bones and teeth: involved in muscle contraction and relaxation, nerve function, blood clotting, blood pressure.
Phosphorous	Part of every cell: involved in pH buffering
<u>Magnesium</u>	Involved in <u>bone mineralization</u> , protein synthesis, enzyme action, normal muscular contraction, nerve transmission.
Sodium	Helps maintain ionic strength of body fluids
Chloride	Part of stomach acid, necessary for proper digestion
Potassium	Facilitates many reactions, including protein synthesis, nerve transmission and contraction of muscles.
Sulfur	Component of certain aminoacids, part of biotin, thiamin and insulin.
Iodine	Part of thyroxin, which regulates metabolism
Iron	Haemoglobin formation, part of myoglobin, energy utilization.
Zinc	Part of many enzymes, present in insulin, involved in making genetic material and proteins, immunity, vitamin A transport, taste, wound healing, making sperm, normal fetal development
Copper	Absorption of iron, part of several enzymes
Fluoride	Formation of bones and teeth, helps make teeth resistant to decay and bones resistant to mineral loss
Selenium	Helps protect body compounds from oxidation
Chromium	Associated with insulin and required for the release of energy from glucose
Molybdenum	Facilitates enzyme functions and many cell processes
Manganese	Facilitates enzyme functions and many cell processes
Cobalt	Part of vitamin B ₁₂ , which involves in nerve function and blood formation
Vanadium	Control of sodium pump: inhibition of ATPase, <i>p</i> -transferases
Nickel	Constituent of urease, reduced haemopoiesis
Cadmium	Stimulates elongation Betois in ribosomes
Tin	Interactions with riboflavin
Lead	Many enzyme effects
Lithium	Control of sodium pump
Silicon	Structural role in connective tissue and osteogenic cells
Arsenic	Increased arginine urea + ornithine, Meto, metabolism of methyl compounds
Boron	Control of membrane function, nucleic acid biosynthesis and lignin biosynthesis


Structural form of the metal changes

1. How the metal is bound to other atoms directly and completely controls its activity = function


2. We call this coordination by ligands

3. We will discuss this later but here are some examples


(A)



(C)



(B)



Zinc finger protein




Figure 1.15 Coordination modes for metal binding to metalloproteins and peptides. (A) The heme prosthetic center and a portion of the backbone in myoglobin. (B) Bound Zn^{2+} in a zinc finger. On the right the portion of the protein backbone that forms the "finger" is traced. Figure 1.19 gives more details on such schematic diagrams. (C) The metal-binding domain of a Ca^{2+} -activated enzyme (phospholipase A_2) showing coordination of a chelating carboxylate, two water molecules, and three backbone carbonyls. (D) Chlorophyll from the light-harvesting complex of the photosynthetic reaction center.

What are the ligands? Identify the atoms next to the metals in these examples and the molecules they are part of. See LB p 7 for examples with Fe – Fe₄S₄ – ferredoxin KSK 127

L-B	R-M	K-S	Problems to do
1-2; 4-5		24-25	These examples show three types of metal attachment – identify the molecules here in each type.


Structural form of the metal changes

4. How the metal is bound to other atoms directly and completely controls its activity = function


5. We call this coordination by ligands

6. We will discuss this later but here are some examples


(A)




(C)



(B)



(D)



Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.


Figure 1.15 Coordination mode backbone in myoglobin. (B) Bou Figure 1.19 gives more details on showing coordination of a chelating complex of the photosynt

Structural form of the metal changes

7. How the metal is bound to other atoms directly and completely controls its activity = function

8. We call this coordination by ligands

9. We will discuss this later but here are some examples



(C)




Figure 1.15 Coordination backbone in myoglobin
 Figure 1.19 gives more showing coordination investing complex of the

Examining each of these structures - where's the metal? What is it? What's its coordination environment?

(A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).

(B) Zn^{2+} in a zinc finger protein - and the colour picture - see next slide - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)

(C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly

(D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.

ortion of the
 er" is traced
 holipase A₂)
 he light-har-

Structural form of the metal changes

10. How the metal is bound to other atoms directly and completely controls its activity = function


11. We call this coordination by ligands

12. We will discuss this later but here are some examples


(A)



(C)



(B)



(D)




Figure 1.15 backbone in Figure 1.19 showing coordinating comp

Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) **Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly**
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.

of the
 rced
 se A₂
 it-har-


Structural form of the metal changes

13. How the metal is bound to other atoms directly and completely controls its activity = function


14. We call this coordination by ligands

15. We will discuss this later but here are some examples


(A)



(C)



(B)



(D)




Figure 1.15 backbone in Figure 1.19 showing coordinating comp

Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.**

Which are toxic and why?


A powerful conceptual model KSK 9 and 327

1. Toxic: Usually large and below the 4th row in the period table - when in 'excess'.
2. Key toxic metals: - Cd, Hg, Pb, As, but also Cr(VI) - 6+ not 3+? What coordinates it? Where does it end up? What does it block?
3. The chemical form is key to toxicity: eg Hg^{2+} vs. $(CH_3)_2Hg^+$.
4. Deficiency - Fe - for many -
5. Excess - Na for many ...
6. Disease - Sometimes genetic effects - Wilson's due to copper r such as the effect of clearing cisplatin for cancer.

speciation
not only 2+ vs 3+

but also attached ligands

PHYSIOLOGICAL EFFECT
BENEFICIAL
DETRIMENTAL



its
ons

Bertrand diagram helps define:

- Essential - Normal levels?
- Deficient levels
- Toxic levels

Need to realize that the correct form of a metal is also important, so Cr(III) is essential (diabetes) but Cr(VI) is toxic at all levels. Must define the form-speciation - the oxidation state and in many cases the actual complex. EG As(V) and As(III) are toxic; but if the As(V) exists as arsenobetaine, which it does in many species, eg in sea food- then it is completely harmless to humans!). But chromated copper arsenate (CCA) is very toxic.


Deficiency - Fe → anemia due to a lack of red blood cells - oxygen starvation

Zn → dwarfism - due to poor bone formation

Excess Na →hypertension - an imbalance in fluid ion content

Toxic Any metals (or other agent) that reduces metabolic activity

Of course, Cd^{2+} , Hg^{2+} , As^{3+} , and As^{5+} , but Na^+ ?



Wednesday.

We need essential elements, but more is not always better. All essential elements become toxic when consumed in quantities above a certain threshold.

C.G. Fraga / Molecular Aspects of Medicine 26 (2005) 235-244

Content Nutrition/diet 241 function

No need to memorize this page


Table 2 Dietary reference intakes (DRI) for manganese, iron, copper, zinc, and selenium^a

	EAR ^b	RDA ^b	AI ^b	UL ^b
Mn (mg/day)	M W		2.3/1.8	11
Fe (mg/day)	6/8.1	8/18		45
Cu (mg/day)	0.7	0.9		10
Zn (mg/day)	9.4/6.8		11/8	40
Se (µg/day)	45	55		400

^a Values for this table were taken from dietary reference intakes (Food and Nutrition Board, 2000; Food and Nutrition Board, 2001).

^b *Estimated average requirement* (EAR), a nutrient intake value that is estimated to meet the requirement of half of the healthy individuals in a life stage and gender group; *recommended dietary allowance* (RDA), the dietary intake level that is sufficient to meet the nutrient requirements of nearly all healthy individuals in a life stage and gender group; *adequate intake* (AI): a recommended intake value based on observed or experimentally determined approximations or estimates of nutrient intake by a group (or groups) of healthy people that are assumed to be adequate (used when an RDA cannot be determined); *tolerable upper intake level* (UL), the highest level of nutrient intake that is likely to pose no risk of adverse health effects for almost all individuals in the general population. As intakes increase above the UL, the risk of adverse effects increases. Figures separated by a bar indicate values for men/women.

Chemical Speciation



Speciation refers to the chemical form in which the element is found.

Different oxidation states can induce different physiological responses.

[Biosci Rep. 2010 Apr 9;30\(5\):293-306.](#)

Impact of selenite and selenate on differentially expressed genes in rat liver examined by microarray analysis.

[Bosse AC](#), [Pallauf J](#), [Hommel B](#), [Sturm M](#), [Fischer S](#), [Wolf NM](#), [Mueller AS](#).

Interdisciplinary Research Centre, Institute of Animal Nutrition and Nutritional Physiology, Justus Liebig University Giessen, Germany.

Abstract

Sodium selenite and sodium selenate are approved inorganic Se (selenium) compounds in human and animal nutrition serving as precursors for selenoprotein synthesis. In recent years, numerous additional biological effects over and above their functions in selenoproteins have been reported. For greater insight into these effects, our present study examined the influence of selenite and selenate on the differential expression of genes encoding non-selenoproteins in the rat liver using microarray technology. Five groups of nine growing male rats were fed with an Se-deficient diet or diets supplemented with 0.20 or 1.0 mg of Se/kg as sodium selenite or sodium selenate for 8 weeks. Genes that were more than 2.5-fold up- or down-regulated by selenite or selenate compared with Se deficiency were selected. GPx1 (glutathione peroxidase 1) was up-regulated 5.5-fold by both Se compounds, whereas GPx4 was up-regulated by only 1.4-fold. Selenite and selenate down-regulated three phase II enzymes. Despite the regulation of many other genes in an analogous manner, frequently only selenate changed the expression of these genes significantly. In particular, genes involved in the regulation of the cell cycle, apoptosis, intermediary metabolism and those involved in Se-deficiency disorders were more strongly influenced by selenate. The comparison of selenite- and selenate-regulated genes revealed that selenate may have additional functions in the protection of the liver, and that it may be more active in metabolic regulation. In our opinion the more pronounced influence of selenate compared with selenite on differential gene expression results from fundamental differences in the metabolism of these two Se compounds.

Some oxidation states are much more toxic than others. Cr(III) is an essential element, but Cr(VI) is highly toxic and carcinogenic.

Toxic chromium found in Chicago drinking water

Detected levels are more than 11 times higher than California's new standard

By [Michael Hawthorne](#), Tribune reporter

August 6, 2011

Chicago's first round of testing for a toxic metal called hexavalent chromium found that levels in local drinking water are more than 11 times higher than a health standard California adopted last month.

But it could take years before anything is done about chromium contamination in Chicago and scores of other cities, in part because industrial polluters and municipal water utilities are lobbying to block or delay the Obama administration's move toward national regulations.

ho
to
memorize
this
part

Cr^{VI}
=

The discovery of hexavalent chromium in drinking water is renewing a debate about dozens of unregulated substances that are showing up in water supplies nationwide. Potential health threats from many of the industrial chemicals, pharmaceutical drugs and herbicides still are being studied, but researchers say there is strong evidence that years of exposure to chromium-contaminated water can cause stomach cancer.

But Cr^{III} is essential & has a function

And always be careful of medicines...

http://www.in.gov/isdh/files/Arsenic_and_Lead_Poisoning.pdf

Daw Tway is a digestive aid used in Thailand and Myanmar (Burma). Analysis of Daw Tway samples showed them to contain as much as 970 parts per million (ppm) of lead. The Daw Tway samples also contained high arsenic levels, as great as 7,100 ppm.

Many metals form organometallic compounds. Mercury that is *biomagnified* in the food chain is usually a lipid-soluble organomercury such as CH_3HgCl . Mercury is a non-essential element and is toxic.

coal fired power stations




Fig 1. Mercury cycling in a lake and its watershed. Mercury emissions are transported long distances, primarily as gaseous elemental mercury [$\text{Hg}(0)$], oxidized in the atmosphere to reactive gaseous mercury [$\text{Hg}(II)$], and deposited in precipitation and by surface contact (dry deposition). Anaerobic bacteria convert a small portion of the incoming $\text{Hg}(II)$ to methylmercury (MeHg), which is then bioconcentrated in the aquatic food chain (by a factor of $\geq 10^6$). Various biotic and abiotic reactions interconvert the different forms of Hg, affecting uptake, burial, and evasion back to the atmosphere.

PNAS 2007, 104, 16394-16395

was cobalamin - Vit B_{12} - $10^{11}/\text{ml}$

a source was pulp and paper processing \rightarrow made Cl_2 electrochemical cell
 why Hg^0 as an electrode
 Minamata Disease "cat dancing"


How can we use metals therapeutically? KSK 369

FRIDAY

consider there will be 2 questions specifically about $H_3^0/H_3^{2+}/CH_3H_3^+$

cis- Diamminedichloroplatin(II) (cisplatin)

treatment of testicular cancer




cisplatin

16 on
mid term

silver sulfadiazine cream

treatment of burns



Ag^+ activity is considered to be the therapeutic agent

so used. -nanoparticles also

To:

- (A) Treat deficiencies
- (B) Treat disease
- (C) What other therapeutic uses of metals do you know?

Think Bi, Li, etc. Your list?

Returning to our theme...

In the beginning - the hot, dusty gave way to the clear, oxygen-rich atmosphere of today.

Table 1
A COMPARISON OF THE BIBLICAL AND THE SCIENTIFIC SEQUENCE AND TIME TABLE FOR EVOLUTION

Biblical			Scientific	
Day	Creation of	Years ($\times 10^4$)	Evolution	Appearance of
1	Light, night, day	4600	Chemical Atomic Inorganic compounds	H, He, Li, Be, B, C, N, O, F, I, Na, Mg, Al, Si, P, S, Cl H ₂ , N ₂ , H ₂ O, CH ₄ , NH ₃ , CO, CO ₂ ; No O ₂
2	Firmament	4000	Biological Organic compounds	Aldehydes, carboxylic acids, amino acids
3	Land, water, sea	3500	Anaerobic bacteria	Life Photosynthesis
4	Grass	2500	Anaerobic photosynthetic bacteria	
		2000	Eukaryotic cells	Oxygen atmosphere Oxidative phosphorylation Protein synthesis
		1500	Multicellular plants	
5	Creatures in water, fowls, whales	1000	Multicellular animals	Genetic transcription
6	Vertebrates, mammals Man	400 <0.1	Modern man	

REFERENCES

1. Genesis 1:1-5.
2. Genesis 1:6-8.
3. Genesis 1:9,10.
4. Genesis 1:11-13.
5. Genesis 1:14-19.
6. Genesis 1:20-23.
7. Genesis 1:24.

The Periodic Table

Parts of the Periodic Table we must learn

1. Gp 1 & 2
2. Selected Row 4 d-block Elements

Note key metals

3. Essential
4. In medicine (R-M, p 269-312)
5. Toxic

																	18/VIII							
	1																	2						
	H																	He						
	1.008																	4.003						
	3	4																	5	6	7	8	9	10
	Li	Be																	B	C	N	O	F	Ne
	6.941	9.012																	10.81	12.01	14.01	16.00	19.00	20.18
	11	12																	13	14	15	16	17	18
	Na	Mg																	Al	Si	P	S	Cl	Ar
	22.99	24.30																	26.98	28.09	30.97	32.07	35.45	39.95
Period	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36						
	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr						
	39.10	40.08	44.96	47.88	50.94	52.00	55.85	58.93	58.93	63.55	65.39	69.72	72.61	74.92	78.96	79.90	83.80	85.47	89.90					
	5	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe					
	85.47	87.62	88.91	91.22	92.91	95.94	98.91	101.1	102.9	106.4	107.9	112.4	114.8	118.7	121.8	127.6	126.9	131.3						
	6	55	56	La-Lu	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86					
	Cs	Ba		Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn						
132.9	137.3		178.5	180.9	183.8	186.2	190.2	192.2	195.1	197.0	200.6	204.4	207.2	209.0	210.0	210.0	222.0							
7	87	88	Ac-Lr	104	105	106	107	108	109															
Fr	Ra		Unq	Unp	Unh	Uns	Uno	Une																
223.0	226.0																							
	s block		d block										p block											

-see "Key points section next"

Lanthanides	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
	138.9	140.1	140.9	144.2	144.9	150.4	152.0	157.2	158.9	162.5	164.9	167.3	168.9	173.0	175.0
Actinides	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	227.0	232.0	231.0	238.0	237.0	239.1	243.1	247.1	247.1	252.1	252.1	257.1	256.1	259.1	260.1

6. Need to learn for tests: -

f block

L-B	R-M	K-S	Problems to do
1-2		4	If blank – see later

Expectations from this unit	Where and how
Know that very many metals are present in natural organisms – with amounts that vary by 10,000's (in a human 44 kg Ca to 2 mg Se)	Opening lecture And first chapters of each reference book in the library
Understand the difference between 'what's found when you grind up an organism' and 'what's essential nutrition for an organism's well-being'	First few pages and discussions from the lecture and by reading the early pages on the reference books – could use the Internet too
Know that there are essential metals and really toxic metals	Examples?
Know your way round the Periodic Table – which metals are – macro levels (>5 gms) which are μ levels, which are ultra-trace – mg levels	Need to remember the Periodic Table (exact elements will be provided by Dr Stillman) no Periodic Table in Tests.
Know that metals are absorbed from foods	Know at least one food per metal
Know that evolution resulted in iron being used in many proteins – even though today that would be unlikely to happen	Opening – means iron in our diet is very important
Know the difference between 'free' and 'coordinated' metal ions	Be able to describe what's shown on pages 19 or so
Know the Bertrand Diagram as a tool	
Know some examples of metals used therapeutically	May need to do a search for extra examples.
Key points from this unit	

(A) Introduction Chemistry 2211A "Metals in Life"

1	<p>Many Essential Metals: H, Na, K, Mg, Ca, Cr, Mn, Fe, Co, Ni, Cu, Zn, and a many others - some we don't know about like Cd - over 35 different elements in the typical organism.</p> <p>Metals come from different parts of the Periodic Table - the region of the Periodic Table controls the chemical properties - identify typical chemistry from Groups 1&2; 16 &17; 2-12.</p>
2	<p>Both essential and toxic? Almost all for sure, but 'strangely' at low levels, Cr, Co, Cu, Cd, As, Se and others.</p>
3	<p>Therapeutic - Pt, Au, Ag, Li, Cu, Fe, Bi</p>
4	<p>Toxic for sure: Cd, Hg, As, Pb, and many others, especially at high concentrations.</p>
5	<p>Metals are attached to ligands most of the time.</p> <p>Which are typical atoms for good ligands? Why are they good? What is the key requirement? Which molecules would you find those atoms in in biological systems?</p> <p>Some metals are not bound all the time - which metals are they?</p> <p>Some metals - a few - exist as the ions under certain conditions and are bound tightly to ligands to work - which metals are they?</p>
<p>Study questions from the lectures to date</p>	
Lectures	<p>What do the alkali metals do? What does Fe do? Mg is different in plants and mammals, identify a key difference in chemistry of Mg^{2+} in mammals and plants.</p>
<p>Study questions from the books (S-L; R-M; K-S) and study questions for exams</p>	
S-L	<p>P 19 - - you will need to read p 1-19 to answer these questions - we will cover this material in a few weeks - answers on the web before the mid-term exam</p>

<p>Key questions to consider on this unit</p>	<p>Ch 1 in LB & KS - 'what do we mean by the interface between inorganic chemistry and biology?'. Give a definition of bioinorganic chemistry Give two examples What is not an example taken from the real world Separate the concentration of metals into bulk, trace and ultra trace Name one metal from each class Approximate limits on each class? In a 70 kg human: 10's-1000's g; >20 mg; <20 mg Is the role of each metal now defined? Coordination means shape - that comes from the ligands attached - name 3 ligand molecules identifying the attached atom (see below as well)</p> <p>In figure 3081 p 10 we see that Fe is high in the crust, and quite high in man, but see Fig 2.2, p 9 in K&S, Fe is very low in seawater today. Explain this. How did mammals evolve to use Fe then? Account for the properties of the atmosphere. Reducing then, oxidizing now. Account for how the pH affected incorporation of elements like Mo, Al and Ti Identify 5 foods containing different metals using the textbook or the Internet. How is vitB12 connected with the toxicity of mercury? Use reaction 2 on LB p 338 - the Glutamate mutase - as the example of B12 action What is a vitamin? Why do we need them? We are what we eat - Identify the food source, bodily functions; deficiency symptoms for: Ca, Cr, Cu, iodine, Fe, Mg, K, Na, Zn Which metals are unexpected? Search the Internet for each metal AND one specific function - metal & molecule & activity Coordination of metals Identify 3 different ways metals are attached to ligands in biological materials Explain the dose-response curve commonly called the Bertrand diagram</p>

Sketch the curve for mercury; sketch for Zn

Periodic Table - know the 4 major alkali metal and alkaline earth metals - d block metals - know 3 key and essential -

Know 2 metals used in medicine

Know 4 really toxic metals

LB p 19 qu. 2, 3, 4 (we will explain the background to qu. 4 during sec. 2)

Some useful definitions - A **nutrient** is a chemical that

an organism needs to live and grow or a substance used in an organism's metabolism which must be taken in from its environment.^[1]

organic - fats, sugars, proteins, amino acids, vitamins
inorganic - minerals

Macronutrients - needed in large amounts - are defined in several different ways.

- The chemical elements humans consume in the largest quantities these are - are carbon, hydrogen, nitrogen, oxygen, phosphorus, and sulfur. CHNOPS
- The classes of chemical compounds humans consume in the largest quantities and which provide bulk energy are carbohydrates, proteins, and fats.
- Water and atmospheric oxygen also must be consumed in large quantities, but are not always considered "food" or "nutrients".

Together, the "Big Six" are the elemental **macronutrients** for all organisms
CHNOPS

▪ macrominerals.

Calcium, salt (sodium and chloride), magnesium, and potassium (along with phosphorus and sulfur) are sometimes added to the list of macronutrients because they are required in large quantities compared to other vitamins and minerals.

The remaining vitamins, minerals, fats or elements, are called **micronutrients** because they are required in relatively small quantities.

micronutrients

Silicon, chloride, sodium, copper, zinc, and molybdenum are sometimes also included, but are in other cases considered.^[10]

Now to Inorganic chemistry. This will also span a number of lectures.

B) Revisit the Periodic Table of essential elements

C) Important chemistry and special inorganic chemistry for bioinorganic chemistry

- a. Periodic table
- b. Elements, transition metals, trends, electronic configurations, d orbitals
- c. Special molecules that bind metals
 - a. Ligands - special features of ligands
 - b. Hard and Soft metals and ligands
 - c. Shapes of complexes
- d. Kinetics - 1st order reactions - $\frac{1}{2}$ lives - enzyme kinetics
- e. Metal-Ligand complex formation
 - a. Equilibrium constants