

Bioinorganic Chemistry Chemistry 3391B

(A) L1-L6: Introduction - Complete overview of the course

Instructor: Martin Stillman

Office: Lower Ground Floor Chemistry Building ChB 064

Always book appointments if possible: Martin.Stillman@uwo.ca

Special Information: Course outline (detailed lecture sequence)

Check instruct.uwo.ca/chemistry/3391b







Dates Lectures Tue 11 :30-12 :30 Thur 10 :30 - 12 :30 ChB 9.

Term test: Thursday March 8, 2018 10:30 - 12:00 (in class time but not in ChB 9)

Presentations: (i) on Jan 25th and (ii) Feb 6/8th

Texts: New-- Kaim, Schwederski, Klein KSK 2013... Wiley →

OTHERS Kaim & Schwederski (K-S) 1st Ed. - just old and suffers from a poor translation in parts. Roat-Malone (R-M) - 2nd Ed. - new but restricted in content - then Lippard-Berg (very old); then look at Inorganic Texts - Shriver & Atkins (S&A) (5th Ed) - not very good unfortunately; Ch 29 in Housecroft & Sharpe - pretty good - although short. Bertini? Kraatz?



Everything is contained in the Periodic Table – it is our tool to understand the critical role of metals in Life.

So, “we” have to memorize rows and groups and the connections between metals, their oxidation states and their coordination chemistries – all from Chem 3371A – luckily.

1 1 H 1.008	2											13	14	15	16	17	18 2 He 4.00
3 Li 6.94	4 Be 9.01											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31	3	4	5	6	7	8	9	10	11	12	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.06	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.90	23 V 50.94	24 Cr 52.01	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.54	30 Zn 65.41	31 Ga 69.72	32 Ge 72.59	33 As 74.92	34 Se 78.96	35 Br 79.91	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc 98.91	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.40	49 In 114.82	50 Sn 118.71	51 Sb 121.75	52 Te 127.60	53 I 126.90	54 Xe 131.30
55 Cs 132.91	56 Ba 137.34	La-Lu	72 Hf 178.49	73 Ta 180.95	74 W 183.85	75 Re 186.21	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.37	82 Pb 207.19	83 Bi 208.98	84 Po 210	85 At 210	86 Rn 222

For Thursday -

know elements #1 to #36 → rows
know key triads & columns ↓

Cr Mn Fe Co Ni Cu Zn

C N O
| | |
Pb Bi Se

1 Introduction to "Bioinorganic Chemistry" or may be "Metals in Life"

(see KSK p1-20; 22-35, and 82-90; 327-348 and 368)**

**selected passages and to be revisited throughout the course.

... Why study bioinorganic chemistry? Why is this sub-discipline of inorganic chemistry and biochemistry critical to Life?

"We", study the interactions of metals with the biomolecules of Life to answer questions about metals and their roles in Life's processes:

- eg. Se so little hard to know sources / CN - coordination #*
- (i) Incorporation of metals into Life's processes - we are what we evolved from? *Just C, N, O, H? No!*
 - (ii) Putting metals in context - what fraction of life are they?
 - (iii) How do we classify the metals in any organism? Either from what's in the organism (content) or what the organism needs to live healthily (nutrition). *→ function*
 - (iv) We - that's mammals really - contain lots of Ca(II) and must ingest quite a lot each day (about 1,300 mg) but only ingest about 20 mg Fe each day - but for Co - ah, I don't mean Co, I mean cobalamin (Vit B12) - it lasts for 5 years - so pig out on some red meat every so often. *So, speciation matters.***
 - (v) Bulk by mass or fraction - mostly oxygen! (ca. 45 kg* or 65% - really mostly water..); -- most prominent metal, yes, Ca - 1.5% or 1 kg - in our *70 kg 'man'.
 - (vi) The least? Possibly Co < 3 mg - but think about this as a fraction - 0.003/70,000.00 - that % ? Consider how to measure that..... hmmm not really a very nice thought. Really needs a super - Chem 3372B experiment.
 - (vii) Then: Nutrition - what we need to eat to stay healthy - see below for more details ...

****Make sure you agree and follow these arguments - they are very important and will become the backbone of this course.**

*Does content tell us about the function?
No -*

- (viii) Primary Nutrients or Macronutrients are CHNOPS andminerals - these are inorganic elements -PT..
- (ix) Macro- and Micro/trace-minerals (remember - C HOPKiNS Coffee Mug with zany salt) - ok - we'll decode this - BULK elements - + essential macrominerals 13 elements with Rec Daily Intake > 150 mg/day-
- (x) (13 elements?) C H O P N S then Ca K Mg Na (Cl) and Zn and Fe just on the edge of RDA - sometimes Zn and Fe are placed in the micro/trace mineral group (RDA < about 100 mg/day) : essential trace elements -Fe (4-6 g), Zn (2.5 g), >> Cu (ca. 100 mg), ultra-trace F, I, Se, Mo, Mn, Cr, Co, Ni (13 to here counting Fe & Zn twice) (possibly Sn, V, Si, B- vague data for these). (body content - the 70 kg man etc) **Note we will discriminate based on mass in that 70 kg human - >1gm <1gm (make sure you memorize the >1gm list!)**
- (xi) What processes involve metals directly in Nature?
- (xii) We can choose randomly - What about; Mg, Fe, Cd, Pb, As? Only Mg & Fe for sure.
- (xiii) How many metals do humans need to eat?
- (xiv) Where do these elements come from in the Periodic Table? Is there a pattern? A trend?
- (xv) The metals to know - what do we have to memorize?
- (xvi) Metals in the sea and metals in humans ...quite a trend
- (xvii) Food with metals - eg Cobalt for Vit B12? Needs to come with the B12.. can't be made in humans, without Vit B12?Calamity.
- (xviii) **We are what we eat** - note Ca, Fe, Mg, Zn - from where? Ideas? See later.
- (xix) Functions of metals - it is considered that more than 40% of proteins require metals to work - which proteins? How do they work?
- (xx) How metals actually carry out their biological function: coordination by ligands - donor atoms in proteins
- (xxi) Consider Fe in heme: see KSK 82-90 Hemes - porphyrins - so important that you need to be able to draw - heme b; chlorophyll b; cobalamin.

As₂O₃ is a/Seub-keine/Well
known to
be toxic in
light-d-block
all forms

- 1) What is bioinorganic chemistry?
1. How important are metals in Life?
2. Does the metal content inform us about the essentiality of a metal? Yes/No? Reasons?
3. Do nutritional requirement inform us about the essentiality of a metal? Yes/No? Reasons?
4. Finally, function – how well do we know the function of all metals identified by content and nutrition?
5. OK – we need to lean on and use the Period Table.
 - a. Rows to Kr
 - b. Groups – 14 to Pb, 15 to Bi, 16 to Se
 - c. Triads - - similar configurations – so similar chemistries? Always softer when heavier.
 - d. Cu/Ag/Au Cu essential—Ag burn medication-antimicrobial Au – anti-inflammatory – arthritis
 - e. Zn/Cd/Hg Zn essential in 1000's enzymes – Cd – toxic – liver-kidneys from vegetables and shellfish and livers of mammals and smoking – Hg – ionic vs CH_3Hg^+ Cl^- or OH^- neurotoxin - lipophilic
 - f. Oxidation states are vital – as well as spin states. Fe 2/3/4+ (know biomolecular examples)
 1. Co 1/2/3+ all in B12 As 3/5+ As_2O_3 very toxic arsenobetaine – not toxic
6. Speciation is everything - know what this means and have examples related to biology
7. Need to know the role of many elements (mostly metals in 3391b) as well as oxidation states, spin states and coordination numbers and ligands.
8. Ensure you record separately examples of metals as we discuss different aspects in the course.
9. An example – a novel report on the role of Se in human health/well-being - doi.org/10.1038/s41588-017-0006-7 017
 “Mutations in SELENBP1, encoding a novel human methanethiol oxidase, cause extraoral halitosis”
10. So what does cobalt have to do with this “Dietary supplementation with folic acid around the time of conception has long been known to reduce the risk of neural tube defects”?
11. “Cobalamin and folate deficiency: acquired and hereditary disorders in children.” <http://europepmc.org/abstract/med/9930566>
12. “Malnutrition: folate and cobalamin deficiency.” Br J Biomed Sci. 1994 Sep;51(3):221-7. “Malnutrition of folate and cobalamin occurs on a world-wide scale. Millions of individuals, for a variety of cultural, religious and socio-economic reasons, ingest less than the daily amounts required to maintain body stores.”
13. So this review: DOI: 10.4103/2394-2010.143318 “The metabolic processes of folic acid and Vitamin B12 deficiency” in 2014. Includes “Vitamins are the organic compounds required by the human body and are considered as vital nutrients needed in specific amounts. They cannot be synthesized in a sufficient amount by the human body; so, they must be obtained from the diet. Thirteen different types of vitamins are known that are classified by their biological and chemical activity. Each one of them has a specific role in our body. Folic acid has a vital role in cell growth and development through many reactions and processes that occur in the body, e.g. histidine cycle, serine and glycine cycle, methionine cycle, thymidylate cycle, and purine cycle. When the body becomes deficient in folic acid, all cycles that are mentioned above will become ineffective and lead to many problems, in addition to other problems such as megaloblastic anemia, cancer, and neural tube defects.”
14. And so cobalamin: **“Vitamin B12 (commonly known as cyanocobalamin) is the most chemically complex of all the vitamins.** The structure of vitamin B12 is based on a corrin ring, which is similar to the porphyrin ring found in heme, chlorophyll, and cytochrome and has two of the pyrrole rings directly bonded. Cyanocobalamin cannot be made by plants or animals; bacteria and archaea are the only types of organisms that have the enzymes required for the synthesis of cyanocobalamin. Higher plants do not concentrate cyanocobalamin from the soil, and so are poor sources of the substance, as compared with animal tissues. Vitamin B12 is naturally found in foods including meat (especially liver and shellfish), eggs, and milk products. ...Vitamin B12 (cobalamin) plays a vital role in the conversion of homocysteine to methionine in methionine cycle, since it takes the methyl group from 5-methyl tetrahydrofolate (folic acid) and forms methyl cobalamin which then releases this methyl group in order to convert homocysteine into methionine. ... methionine is converted to “SAM” - S-adenosyl methionine...with vitamin B12 deficiency, the body does not have the ability to produce methionine, which leads to many problems. The defective production of SAM product leads to an impairment in the synthesis of carnitine, **impairment of neural function, myelin maintenance, and lack of DNA and RNA methylation.**-----

The.

- (xxii) Why are some metals essential and some not? Toxicity and Essentiality - coexist?
- (xxiii) Can we define essential vs. toxic for a metal, easily? KSK 327
- (xxiv) Metals in medicine. How can we use metals therapeutically? KSK 369
 - a. Treat deficiencies Cu, Fe, Zn...
 - b. Treat disease - Bi, Pt, Li, Au, V - insulin,
 - c. Diagnostics - radiopharmaceuticals - Mo, NaI,
 - d. Imaging ^{99m}Tc , Gd,
 - e. Cause diseases other than toxic metals? Well may be Cu & Zn in Alzheimer's Disease KSK 1se (AD)
- (xxv) Which are the common, absolutely essential metals of life? See the Periodic Table
- (xxvi) Which are absolutely always toxic? What about Pb? As? Cd? Easy? Cu? Cr? Not so easy?
- (xxvii) Back to the Periodic Table

Can we predict essentiality vs toxicity from location of the element in the Periodic Table?

- ✓ Consider Zn and Cd - even Hg.

KSK - 9-12

.. we will later discuss the hard/soft model for metal ligand reactions

Here - we will just introduce some effects..

KSK 14; 18

OK Bad news - make sure you have read or listened to this:

<https://www.thestar.com/news/canada/2017/11/11/ontario-knew-about-mercury-site-near-grassy-narrows-for-decades-but-kept-it-secret.html>

<https://www.ctvnews.ca/canada/ontario-premier-says-she-never-received-grassy-narrows-mercury-report-1.3679513>

<http://www.cbc.ca/news/canada/thunder-bay/mercury-report-grassy-narrows-1.4399441>

RREAD IT!!! THINK! REACT! Ask questions. As always - Think and react.

this essay will be tested at the very end of the course

1

1

H

1.008

Atomic number, Z

Element symbol

Relative atomic mass, A_r

1 H 1.008	2 He 4.00																		
3 Li 6.94	4 Be 9.01																		
11 Na 22.99	12 Mg 24.31	3 B 10.81	4 C 12.01	5 N 14.01	6 O 16.00	7 F 19.00	8 Ne 20.18												
19 K 39.10	20 Ca 40.08	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.06	17 Cl 35.45	18 Ar 39.95												
37 Rb 85.47	38 Sr 87.62	21 Sc 44.96	22 Ti 47.90	23 V 50.94	24 Cr 52.01	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.54	30 Zn 65.41	31 Ga 69.72	32 Ge 72.59	33 As 74.92	34 Se 78.96	35 Br 79.91	36 Kr 83.80		
55 Cs 132.91	56 Ba 137.34	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc 98.91	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.40	49 In 114.82	50 Sn 118.71	51 Sb 121.75	52 Te 127.60	53 I 126.90	54 Xe 131.30		
87 Fr 223.02	88 Ra 226.03	71 La-Lu	72 Hf 178.49	73 Ta 180.95	74 W 183.85	75 Re 186.21	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.37	82 Pb 207.19	83 Bi 208.98	84 Po 210	85 At 210	86 Rn 222		

I regret that this "news" is bad - but as inorganic chemists we must be responsible scientists and understand and advise ethically on the issues. In this course we will discuss a great many interactions between metals and the molecules of Life. Those in the news are often toxic metals because they appear to impact society most - but they don't! Why do I say that?

I encourage you to think about that statement.

What are the major interconnections between metals and Life? You will need to answer on this at the end of the course.

Your thoughts today....

OK so what about non-toxic - essential metals?

Think about iron

<https://www.mayoclinic.org/diseases-conditions/iron-deficiency-anemia/symptoms-causes/syc-20355034>

Nutrition is vital

We will use the data in this very detailed guide - please access and save the pdf

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/618167/government_dietary_recommendations.pdf

access the guide from here:

<https://www.gov.uk/government/publications/the-eatwell-guide>

you'll need to study this pdf for the 1st Presentation...

Questions to answer:

We study Bioinorganic Chemistry to:

Answer questions about metals and their roles in living organisms

And, to determine What physiological processes involve metals directly?
And also to Learn from Nature - how to mimic the processes of life synthetically.
From these studies: We understand the intricate workings of physiological chemistry →
nutrition; curing disease (*); recognizing toxic metals (**)

A definition or two - BioInorganic Chemistry is...

"the interface between inorganic chemistry and biology" or

"about how metals function *in vivo* (meaning in living biological systems)" or

"about how metals pass through physiological systems from absorption to transport to use to excretion"

Your view? OK so not fair - my view? "The interface.."

Because we will talk so much about the essentiality of metallic elements - inorganic elements - we need to introduce a statement about "minerals" here

What are minerals (with respect to human/mammalian nutrition that is)?

Minerals are inorganic substances required by the body in small amounts for a variety of functions.

These include the formation of bones and teeth; as essential constituents of body fluids and tissues; as components of enzyme systems and for normal nerve function.

Some minerals are needed in larger amounts than others, e.g. calcium, phosphorus, magnesium, sodium, potassium and chloride.

→ correct to function?

Others are required in smaller quantities (RDA approx. < 150 mg/day) and are sometimes called **trace minerals or microminerals**, e.g. iron, zinc, iodine, fluoride, selenium and copper. **Despite being required in smaller amounts, trace minerals are no less important than other minerals.**

Minerals are often absorbed more efficiently by the body if supplied in foods rather than as supplements. Also, a diet that is short in one mineral may well be low in others, and so the first step in dealing with this is to review and improve the diet as a whole. Eating a varied diet will help ensure an adequate supply of most minerals for healthy people.

The National Diet and Nutrition Surveys (NDNS) have revealed that some sub-groups of the population have low intakes of some other minerals, for example **potassium, magnesium, zinc in men, and for women, iron, calcium, copper and iodine**. Young British adults, especially young women, have particularly poor diets which are likely to put their future health at risk unless improvements are made.

Most people do not show signs of deficiency but this does not mean their intakes or nutrient status are adequate.


For example, adolescent girls, women of childbearing age and some vegans/vegetarians are more susceptible to low iron status as their dietary intake may not match their requirements, and therefore they are at risk of iron deficiency anaemia. There is also concern about the calcium intake of some adolescents, and young and older women and the implications for future bone health.

The bioavailability and absorption of minerals

The bioavailability of a mineral (i.e. how readily it can be absorbed and used by the body) may be influenced by a variety of factors. Bioavailability will depend upon the chemical form of the mineral, other substances present in the diet and (for nutrients such as iron) the individual person's needs as determined by how much of the nutrient is already stored in the body. This is because the body has sensitive mechanisms for preventing storage of nutrients that can be damaging in excess (as is the case with iron).

For example, the bioavailability of iron from plant sources (non-haem iron) is relatively poor compared with iron from meat (haem iron) but absorption is increased when vitamin C is consumed during the same meal because the vitamin C converts it to a more bioavailable chemical form. What is that form? How does Vit C = ascorbic acid do that?

Some dietary constituents reduce bioavailability. Phytate, for example, found in products made from wholegrain cereals (especially unleavened breads such as chapattis) can bind and hence reduce the absorption of calcium, iron and zinc. Iodine absorption may be hindered by nitrates. Similarly, oxalate present in spinach and rhubarb binds any calcium present, making it unavailable for absorption - what is special about "oxalate"? (look up <http://www.rhubarbinfo.com/poison> and <http://www.maltawildplants.com/OXAL/Docs/Oxalate%20Poisoning2.htm> - because these are specifically chelates of the essential metal Ca and result in kidney stones plus other neurological issues.



See the inorganic chem section later - and come back to this statement and complete, oxalate binds strongly to calcium because it..... Also an excess of one mineral may hinder the absorption of another by competing for the same transport systems in the gut, e.g. excess iron reduces zinc absorption. This generally only becomes a problem when zinc intakes are already marginal. Why is Zn involved?? Oh this is BioInorganic chemistry for sure...

Unlike some vitamins, minerals are fairly stable in normal food processing and storage conditions.

Deficiencies and excess intakes

Iron deficiency anemia is the most common nutritional deficiency in the world**, often affecting women and young children, and is found generally in the Canadian population too. = You!! **Iodine deficiency is also commonplace worldwide.** Policy decisions about the adequacy of current nutrient intakes in maintaining appropriate status are often hindered by the limitations of existing markers of status and also by the available information on requirements, **an example being selenium.** (what is the issue here?...see later)

****yes, you need to memorize this...**

On the other hand, excess intakes of minerals are also sometimes of concern

(for example sodium, one of several risk factors associated with high blood pressure - especially males and especially >50 years old..) In general, excess intakes of a range of minerals have been reported to have varying effects, ranging from no effect (e.g. no adverse effects have been reported for excess iodine intakes up to 2mg iodine/day) to severe (e.g. excess fluoride can cause skeletal fluorosis). However,

Thurs. 18th Jan

Presentation 1- TOPICS

more information is needed about the effects of excess intakes of many of the essential minerals and trace elements.

(Take home message - persuade your family to eat "no salt added" foods".)

handed out

For further information see the report of the Expert Group on Vitamins and Minerals (EVM) (<http://www.food.gov.uk/>).

Edited from:

<https://www.nutrition.org.uk/nutritionscience/nutrients-food-and-ingredients/minerals-and-trace-elements.html?showall=1&limitstart=>

Aspects of current Bioinorganic Chemical research:

- develop mimics of natural chemistry
- understand how metalloproteins work - how is the coordination chemistry tuning the chemistry?
- probe how metals control protein folding?
- work out how to 'improve' on Nature - curing disease or accidental damage

So, then what is Bioinorganic Chemistry

- Broadly defined, bioinorganic chemistry is the study of inorganic elements, with an emphasis on metals, in living systems.
 1. Which elements are necessary for life?
 2. How about their chemical speciation?
 3. What are their physiological roles?
 4. What are their mechanisms of action?
 5. How did we evolve to use those elements?
 6. Why are some metals toxic?
 7. Can metals be used therapeutically?
- **Chem 3391b will explore those questions and examine the role of selected elements in humans and other organisms. This section introduces the topic of essential elements and the importance of chemical speciation.**

* James Lind FRSE FRCPE (4 October 1716 in Edinburgh – 13 July 1794 in Gosport) was a Scottish physician.

By conducting the first ever clinical trial,^[1] he developed the theory that citrus fruits cured scurvy.

Scurvy is a disease now known to be caused by a deficiency of Vitamin C, but in Lind's day, the concept of vitamins was unknown. Vitamin C is necessary for the maintenance of healthy connective tissue. In 1740 the catastrophic result of Anson's circumnavigation attracted much attention in Europe; out of 1900 men, 1400 had died, most of them allegedly from having contracted scurvy. According to Lind, scurvy caused more deaths in the British fleets than French and Spanish arms.^[4]

He divided twelve scorbutic sailors into six groups. They all received the same diet but, in addition, group one was given a quart of cider daily, group two twenty-five drops of elixir of vitriol (sulfuric acid), group three six spoonfuls of vinegar, group four half a pint of seawater, group five received two oranges and one lemon, and the last group a spicy paste plus a drink of barley water. The treatment of group five stopped after six days when they ran out of fruit, but by that time one sailor was fit for duty while the other had almost recovered. Apart from that, only group one also showed some effect of its treatment. **AN ARGUMENT FOR BASIC SCIENCE**

In 1753 he published A treatise of the scurvy, which was virtually ignored. In 1758 he was appointed chief physician of the Royal Naval Hospital Haslar at Gosport. When James Cook went on his first voyage he carried wort (0.1 mg vitamin C per 100 g), sauerkraut (10–15 mg per 100 g) and a syrup, or "rob", of oranges and lemons (the juice contains 40–60 mg of vitamin C per 100 g) as antiscorbutics, but only the results of the trials on wort were published. In 1762 Lind's Essay on the most effectual means of preserving the health of seamen appeared. In it he recommended growing salad—**i.e. watercress (662 mg vitamin C per 100 g)**—on wet blankets. This was actually put in practice, and in the winter of 1775 the British Army in North America was supplied with mustard and cress seeds. However Lind, like most of the medical profession, believed that scurvy was essentially a result of ill-digested and putrefying food within the body, bad water, excessive work and living in a damp atmosphere which prevented healthful perspiration. Thus, while he recognised the benefits of citrus fruit (although he weakened the effect by switching to a boiled concentrated or "rob", the production of which unfortunately destroyed the vitamin C), he never advocated citrus juice as a single solution. The medical establishment ashore continued to be wedded to the idea that scurvy was a disease of putrefaction, curable by the administration of elixir of vitriol, infusions of wort and other remedies designed to 'ginger up' the system. It could not account for the benefits of citrus fruits and dismissed the evidence in their favour as unproven and anecdotal. In the Navy however, experience had convinced many officers and surgeons that citrus juices provided the answer to scurvy even if the reason was unknown. On the insistence of senior officers, led by Rear Admiral Alan Gardner, in 1794 lemon juice was issued on board the Suffolk on a twenty-three week, non-stop voyage to India. The daily ration of two-thirds of an ounce mixed ingrog contained just about the minimum daily intake of 10 mg vitamin C. There was no serious outbreak of scurvy. This astonishing event resulted in a widespread demand within the Navy for lemon juice, ...(http://en.wikipedia.org/wiki/James_Lind)

****Can wearing a copper bracelet cure arthritis?** Arthritis is a condition that results in deterioration and loss of the joint surface cartilage, where the repair process fails to keep up with the breakdown. Copper bracelets have long been sold as a cure for arthritis. Vendors propose that the metal is absorbed through the skin and helps cartilage regeneration. But there are certain facts you should know before you rush out and buy that bracelet. According to the Center for Hand and Upper Extremity Surgery at UAMS, copper deficiency is extremely rare and most regular diets provide enough copper to meet the daily requirements. Research has shown that excessive copper can result in poisoning. This can be seen after ingesting foods boiled in copper vessels or from contamination of water from corroding copper pipes, causing vomiting and, in severe cases, liver damage. In reality no modality of treatment has been shown to cure or reverse the changes of arthritis. ...(<http://www.uamshealth.com/?id=882&sid=1>)
<http://www.arthritis.org/living-with-arthritis/treatments/natural/other-therapies/magnetic-copper-bracelets.php>
<http://www.nhs.uk/news/2009/10October/Pages/Copper-bracelets-and-arthritis.aspx>

Homework – the paper below was published in 1963. Be prepared at the next class to outline (very briefly with a single point – nothing elaborate) why this paper is out of date. You'll need to access the paper on campus.

[Can Med Assoc J.](#) 1963 Mar 9; 88(10): 523–527.

PMCID: PMC1921075

Trace Elements in Human Nutrition

[A. B. Morrison](#) and [J. A. Campbell](#)

[Copyright and License information ►](#)

Abstract

A number of trace elements are required by man, but clear-cut evidence of deficiency has been observed for only iodine and iron. Despite the fact no evidence exists that human diets may be deficient in trace minerals other than iron and iodine, there is an increasing tendency to add more and more minerals to vitamin-mineral preparations. Since potassium iodide is a mandatory constituent of table salt in Canada, iron is apparently the only trace element which may not be consumed in adequate amounts under Canadian conditions, and whose addition to dietary supplements for sale to the general public can be justified. It is suggested that trace elements other than iron should not be advertised to the general public, but should be administered only on the advice of a physician, who is in a position to judge the merit of available products in each specific situation.

Cr

Mn

Co - health effects known in 1926 and the structure first solved in 1955 by Prof Dorothy Hodgkin!1 A gigantic effort.

1940 Zinc in Carbonic Anhydrase first understood zinc containing enzyme
(my answers -- Co-B12; Cu-; Zn!!; ...)

Table 1
A COMPARISON OF THE BIBLICAL AND THE SCIENTIFIC SEQUENCE
AND TIME TABLE FOR EVOLUTION

Biblical			Scientific	
Day	Creation of	Years ($\times 10^4$)	Evolution	Appearance of
1	Light, night, day	4600	Chemical Atomic Inorganic compounds	H, He, Li, Be, B, C, N, O, F, Na, Mg, Al, Si, P, S, Cl H ₂ , N ₂ , H ₂ O, CH ₄ , NH ₃ , CO, CO ₂ ; No O ₂
2	Firmament	4000	Biological Organic compounds	Aldehydes, carboxylic acids, amino acids
3	Land, water, sea	3500	Anaerobic bacteria	Life Photosynthesis
4	Grass	2500	Anaerobic photosynthetic bacteria	
		2000	Eukaryotic cells	Oxygen atmosphere Oxidative phosphorylation Protein synthesis
		1500	Multicellular plants	
5	Creatures in water, fowls, whales	1000	Multicellular animals	Genetic transcription
6	Vertebrates, mammals	400	Modern man	
	Man	<0.1		

Cyanobacteria are micro-organisms that live primarily in seawater. They are believed to have been the first organisms on Earth to perform oxygenic photosynthesis.
Nature **455**, 1101-1104 (2008)

REFERENCES

1. Genesis 1:1-5.
2. Genesis 1:6-8.
3. Genesis 1:9,10.
4. Genesis 1:11-13.
5. Genesis 1:14-19.
6. Genesis 1:20-23.
7. Genesis 1:24.

In the beginning - the hot, dusty, anaerobic atmosphere gave way to the clear, oxygen-rich atmosphere of today - about 2.2 Gyr ago.

Before that life evolved - but how? And, what does this mean?

Life requires elements to form compounds and to provide a means for biological chemistry to take place - this meant synthesizing a vast number of complex organic molecules and finding a way to obtain the energy required to sustain life.

Metals provided some of the tricky chemistry needed, but which metals to choose?

1046c1

- consider the human body-1...

We separate amounts into

1. Primary Nutrients or Macronutrients are

CHNOPS,

2. Macro- and Micronutrients

3. C H O P i K N S coffee mug with zany salt or
C H O P K N S Ca Fe Mg with Zn Na Cl - groan
(trace- ($<1000\mu\text{g/day}$) Cr-Cu-I-Mo-Se)

- watch out - Ni?

4. May be essential in the diet-Si for sure.

5. What surprises you?

6. Do we know what each of these elements does?

No

7. Are all of the elements found in the body essential elements? No.

8. There is no connection between the amount of an element and whether it is essential or not. Examples:

a. A relatively large amount of Rb exists, but it has no biological function.

b. There is very little V, but it is an essential element.

- doing what?

9. What is their environment? (=coordination of each metal)

10. We need to look at the metal-containing proteins - really the ligands that are part of these proteins

11. How do we handle these concentration units

H	Elements deemed essential																He	
Li	Be											B	C	N	O	F	Ne	
Na	Mg											Al	Si	P	S	Cl	Ar	
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr	
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe	
Cs	Ba	La	*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
Fr	Ra	Ac	**	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg							

Dk-bulk-H; lighter-macro; light-micro; yellow-probably

For 70 kg human we find:

Element	Mass	Ratio
oxygen	43 kg	61%
carbon	16 kg	23%
hydrogen	7 kg	10%
nitrogen	1.8 kg	2.60%
calcium	1 kg	1.40%
phosphorus	780 g	1.10%
potassium	140 g	0.20%
sulfur	140 g	0.20%
sodium	100 g	0.14%
chlorine	95 g	0.14%
magnesium	19 g	271 ppm
iron	4.2 g	60 ppm
fluorine	2.6 g	37 ppm
zinc	2.3 g	33 ppm
silicon	1 g	14 ppm
rubidium	0.68 g	10 ppm
strontium	0.32 g	5 ppm
bromine	0.26 g	4 ppm
lead	0.12 g	2 ppm
copper	72 mg	1 ppm

Element	Mass	Ratio
aluminum	60 mg	857 ppb
cadmium	50 mg	714 ppb
cerium	40 mg	571 ppb
barium	22 mg	314 ppb
iodine	20 mg	286 ppb
tin	20 mg	286 ppb
titanium	20 mg	286 ppb
boron	18 mg	257 ppb
nickel	15 mg	214 ppb
selenium	15 mg	214 ppb
chromium	14 mg	200 ppb
manganese	12 mg	171 ppb
arsenic	7 mg	100 ppb
lithium	7 mg	100 ppb
cesium	6 mg	86 ppb
mercury	6 mg	86 ppb
germanium	5 mg	71 ppb
molybdenum	5 mg	71 ppb
cobalt	3 mg	43 ppb
antimony	2 mg	29 ppb

Element	Mass	Ratio
silver	2 mg	29 ppb
niobium	1.5 mg	21 ppb
zirconium	1 mg	14 ppb
lanthanum	0.8 mg	11 ppb
gallium	0.7 mg	10 ppb
tellurium	0.7 mg	10 ppb
yttrium	0.6 mg	8.6 ppb
bismuth	0.5 mg	7.1 ppb
thallium	0.5 mg	7.1 ppb
indium	0.4 mg	5.7 ppb
gold	0.2 mg	2.9 ppb
scandium	0.2 mg	2.9 ppb
tantalum	0.2 mg	2.9 ppb
vanadium	0.11 mg	1.6 ppb
thorium	0.1 mg	1.4 ppb
uranium	0.1 mg	1.4 ppb
samarium	50 µg	710 ppt
beryllium	36 µg	510 ppt
tungsten	20 µg	290 ppt

No need to memorize
exact masses - but
yes - you need to

know
them

need to
be able to
compare
low/high mass
function

typically listed as "trace" but mass & function makes these
2 metals more important.

1046c1

- consider the human body-2...

First - how do we calculate concentrations?

Units?

Parts per million (1 in 10^6)

Parts per billion (1 in 10^9)

Also - a recent controversy over As in place of P ... see next page for details but what is the implication - lots of As and very small amounts of P.

COMPOSITION OF THE HUMAN BODY

1- Up to 35 elements found - are all essential?

Bulk	Macromineral	Micromineral
Lots: kg & g	≥ 5 gm	less: 1-100 ppm not much: < 1 ppm**

**It's tricky to determine these amounts - can you think of why that might be?

How to convert mass in grams to ppm? It's all about the right ratios.

Eg

1) If 0.2 mg of NaCl (a small grain of sand) is added to a 44 gal barrel of water (44 Imp gal approx $\times 4.54 = 200$ L) this then has a mass of approx 200 kg.

So: $0.2 \text{ mg} / 200 \text{ kg} = 0.0002 \text{ g} / 200,000 \text{ g} = 1 \text{ ppb}$ (1 part in 10^9 by mass)

2) - So what is the concentration of arsenic in our 70 kg human? (In ppm). (about 3 mg in 70 kg = ??)

3) And the concentration in ppm of zinc is? (1750 mg)

4) And, selenium? (2 mg)

5) A thought - how can such vastly different concentration be equally important to the health of an organism - say, humans?



(A) Introduction Chemistry Chem 3391B

"But now researchers have coaxed a microbe to build itself with arsenic in the place of phosphorus, an unprecedented substitution of one of the six essential ingredients of life. The bacterium appears to have incorporated a form of arsenic into its cellular machinery, and even its DNA, scientists report online Dec. 2 in *Science*." Science News

"The bacterium in arsenic-rich Mono Lake was said to redefine the building blocks of life, surviving and growing by swapping phosphorus for arsenic in its DNA and cell membranes. Biologists consider these six elements as necessary for life: carbon, hydrogen, nitrogen, oxygen, phosphorus and sulfur. Arsenic is similar to phosphorus but is typically poisonous to living organisms. " **KERRY SHERIDAN, AGENCE FRANCE-PRESSE** | Jul 9, 2012 9:56 AM ET

Richard A. Lovett for [National Geographic News](#) Published July 9, 2012

It was hailed in 2010 as the most "alien" life-form yet: bacteria that reportedly, and unprecedentedly, had rewritten the recipe for DNA. And the secret ingredient was arsenic. But now two new studies seem to have administered a final dose of poison to the already controversial finding.

Researchers led by then [NASA astrobiologist Felisa Wolfe-Simon](#) had found the organism, dubbed GFAJ-1, in arsenic-rich sediments of California's Mono Lake. They later reported in the journal [Science](#) that the bacterium thrived in arsenic-rich, phosphorus-poor lab conditions. The team concluded that GFAJ-1 must be incorporating arsenic into its DNA in place of phosphorus, which is essential for the DNA of all other known organisms. (Get a [genetics overview](#).) The find was exciting to astrobiologists, who'd previously speculated that extraterrestrial life might survive in unexpected places if only such a swap were possible—arsenic and phosphorus being chemically similar. (Related: "[Saturn's Largest Moon Has Ingredients for Life?](#)") Soon after the announcement, though, other researchers began saying they were having trouble replicating Wolfe-Simon's results. Those criticisms were finally given formal voice Sunday in the form of two different studies with very similar results.

The new studies, also published in *Science*, found that the bacterium did in fact grow in the conditions described in the 2010 study.

But when the amount of phosphorous was reduced even further than in Wolfe-Simon's experiments, GFAJ-1 stalled. Furthermore, biologist [Rosemary Redfield](#) writes in the new study, no signs of arsenic could be found in GFAJ-1's DNA. **The new conclusion: the arsenic-loving life-form does in fact need phosphorous to grow, but shockingly tiny amounts of it.**

Not Backing Down

Wolfe-Simon, now of the Lawrence Berkeley National Laboratory, stands by her results. The new paper, she said, shows only that the arsenic doesn't show up in the DNA, not that the organism never uses it. The fact that the organism has extreme resistance to arsenic and takes it up from the environment means that something unusual is happening with that arsenic, Wolfe-Simon said by email. "We are working to define where the arsenate is [in the organism], rather than where it is not," she said. "How does GFAJ-1 thrive in such high levels of arsenic? Where is the arsenic going? This is our continued focus."

Arsenic Tolerance No Sign of "Second Genesis"

For astrobiologists, the new finding is a disappointment but not a severe setback in the search for alien life. The 2010 study sprang from a quest proposed by astrobiologist [Paul Davies](#), director of the BEYOND Center for Fundamental Concepts in Science at Arizona State University, Tempe. Davies encouraged scientists to look for organisms on Earth so exotic that they must have come not just from a different branch of our own tree of life but from an entirely separate founding ancestor. If we could find such organisms, Davies suggested, they would indicate that life originated more than once here on Earth—a "second genesis." And if life began more than once here, it would seem more likely that life exists on other earthlike planets. The new papers have no impact on this quest, he said, because genetic studies had already indicated that GFAJ-1 is related to other known bacteria.

"It was clear from early on," he said, "that GFAJ-1 did not constitute evidence for a second genesis."

Elias, M. *et al. Nature* <http://dx.doi.org/10.1038/nature11517> (2012).

The latest paper shows that the "arsenic monster" GFAJ-1 goes to a huge amount of effort, "even more than other life", to avoid arsenate, says Wolfgang Nitschke from the Mediterranean Institute of Microbiology in Marseilles, France, who co-authored a commentary questioning the conclusion that GFAJ-1 could replace phosphate with arsenate⁴. "This shows clearly that life doesn't like arsenate in cytoplasm," he says.

What Is an Essential Element?

In order for an element to be classified as *essential*, it must satisfy all of these criteria for *essentiality*:

- 1) When the element is removed from the diet, a physiological or structural abnormality appears.
- 2) The addition of the element to the diet restores or relieves the abnormality.
- 3) The element has a specific biochemical function even if the function of the element is not fully understood, as in the case of many *ultratrace* elements.
- 4) The element follows a *dose-response curve*. -- see later....
- 5) Essential elements can be classified according to either the amount present in the body or the dietary requirement (recommended daily intake/allowance):
 - 6) Bulk elements
 - 7) Major elements / macronutrients / macrominerals
 - 8) Minor elements / micronutrients / microminerals

From the tables above and Periodic Table below assemble your own table:

- 4 essential but trace metals..
- 4 toxic metals..
- 4 therapeutically important metals ..

important to remember

↓ poor indicator

So, we need (need?) many different metals - some quite unexpected.

Essential elements in some species or other- about 25 shown here have been identified - another 10 are considered to be essential in some organisms but their roles have not been determined (fully) - eg As

For the course -

Macronutrients: C-H-O-P-K-i-N-S-Ca-Fe-Mg—Zn-Na-Cl (13) mnemonic- **C HOPKiNS coffee mug with zany salt**

Minerals= metals (plus Si, I, Se)

Dietary point of view - minerals

Macrominerals: Calcium, magnesium, sodium, potassium, phosphorus, sulfur (5) (**require <12 mg/day - FDA**)

Microminerals (trace-minerals): iron, silicon, vanadium, zinc, iodine, selenium, copper, manganese, fluoride, chromium, cobalt, tungsten, nickel (13)

Ultra Trace Elements (<1 mg): The following elements may be essential but deficiency has been difficult to demonstrate - molybdenum, boron, tin, lead, and arsenic have been found in animals. (5).... and more each day

toxic

The Periodic Table

Identifying the ****important**** elements in INORGANIC biological chemistry

- actually - as we have seen this is a bit of a troubling task ... why? Compare (i) the nutrition and (ii) the 'grind up the organism and see what's there approaches.

- actually - as we have seen this is a bit of a troubling task ... why? Compare (i) the nutrition and (ii) the 'grind up the organism and see what's there approaches.

1 1 H																	2 2 He
2 3 Li	4 Be							13 5 B	14 6 C	15 7 N	16 8 O	17 9 F	18 10 Ne				
3 11 Na	12 Mg	3	4	5	6 24 Cr	7 25 Mn	8	9	10	11 29 Cu	12 30 Zn	13 31 Ga	14 32 Ge	15 33 As	16 34 Se	17 35 Br	18 36 Kr
4 19 K	20 Ca	21 Sc	22 Ti	23 V	24 Cr	25 Mn	26 Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 Kr
5 37 Rb	38 Sr	39 Y	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	50 Sn	51 Sb	52 Te	53 I	54 Xe
6 55 Cs	56 Ba	71 Lu	72 Hf	73 Ta	74 W	75 Re	76 Os	77 Ir	78 Pt	79 Au	80 Hg	81 Tl	82 Pb	83 Bi	84 Po	85 At	86 Rn
7 87 Fr	88 Ra	103	104	105	106	107	108	109	110	111	112	113	114	115	116		

int. essential status

23 nutritionally essential** elements:

23 nutritionally essential** elements:

(red circles) -non-metals - **H, C, N, O, P, S, Cl, I, Se** (9) and then metals **Ca, Mg, Na, K, Fe, Co, Zn, Cu, Mn, Mo, Cr, Ni, Si, B** (14) = 23 (let's say about 25 essential elements across a number of organisms).

Dk Green- therapeutic agents in some form - Li, Cu, Ag, Au, Pt, Bi. Imaging agent: Ba/Tc-X-ray. Supplements: Ca/Fe - also note the LIGAND section for removing excess metals

Blue - known to be toxic - includes Cd, Hg, Pb, As, Cr^{6+} but not Cr^{3+} , which is essential ..

****These elements have been identified as clearly essential in the human diet** - but other elements are known/thought-to-be essential but less convincing evidence for nutrition - means we obtain these elements without trying: inc. Br? As? B? and others up to over 30 essential and not-proven-to-be-essential-yet elements. See:

<http://www.eatwell.gov.uk/healthydiet/nutritionessentials/>

(Note: Na-Ca; and, except for Mo, I, all are in row 4 and above = "light" metals)

Application of the principles of inorganic chemistry to biological molecules - use model as guides (ok?) - use spectroscopic techniques to determine electronic structures and coordination. **Leads to "Structure tells us about Function".**

B.1 Elements in biological systems

Range of elements and their respective content (g) in mammals other than PCHNO & S is surprisingly large.

Some statistics:

- the rough composition in human mammals is -
99.35 % C, N & O; 0.646 % Na, Mg, Ca, P;
0.003 % I, V, Cr, Mn, Fe, Mo, Co, Cu, Zn, Si, Se, Sn
(Sn, Si are unexpected)

In a 70 kg human (rough amounts) -

Main group non-metal

H - 6,580 g C - 12,590 g
N - 1,815 g O - 43,550 g
P - 680 g Cl - 115 g Ca 1,700 g
S - 100 g Na 70 g; Mg 42 g; K 250 g;

Then Fe - 5 g; Zn - 1.75 g; Si 1-2 g estimates - suggested involvement in bone formation everything else << 1 g

Nutritional guide (UK)

<http://www.nhs.uk/Conditions/vitamins-minerals>

B.2 How has nature subdivided its use of metals?

Not surprisingly around the chemical properties already exhibited in the Periodic Table - but often from what was available in sea water - see the graph.

- ionic properties of Groups 1 and 2 -
- ligand binding of the Transition Metals (d Block) - Fe, Zn
- redox chemistry of the Transition Metals - Co, Cu, Fe, but not Zn.

B.3 What goes wrong?

With such a palette of metals, substitution of one by an unexpected element can cause chaos

- As for P; Cd for Zn; Pb for Ca.

Also binding of an inactive metal in place of the target metal can produce toxic effects - Hg^{2+} readily binds to RSH.

B.4. Metabolism of metals?

We can, of course, talk about the metabolism of metals - but may be we should reserve this term to describe the complete passage of metals through the biological system - transport in/absorption, trafficking, usage, excretion.

B.5 Essential trace elements across species:

Trace or Microminerals (<100 mg/day): Fe, Si, Zn, I, Se, Cu, Mn, F, Cr, Co, Ni, Mo, B, W (not mammals), V (not mammals)

Macrominerals (nutrition) Na, K, Mg, Ca, P, Cl (humans >100mg/day)

Toxic elements: Cd, Hg, Pb, As,,, Be, Rn, U, ...

Therapeutic metals: Li, Ba, Pt, Ag, Bi, Au, Cu

Macronutrients: - core nutrient elements: (BULK C HOPKiNS café Mg Zn NaCl)

Transition elements are present < 1 g quantities - except Fe (4-5 g) & Zn (2 g). The other transition elements are only present in trace amounts. _ When concentrations are very low it is difficult to determine physiological use. (Sum of V, Mn, Co, Cr, Si, Se, is less than 1 g.) Elements such as Se have only relatively recently entered the 'essential' list - Glutathione Peroxidase (see below).

Metals like Cd (found in the liver & kidneys of mammals) and Hg (in most fish and shellfish - see later) are considered to be always toxic.

But, most elements, eg Cu, are toxic to most life forms if there is exposure above trace levels - these metals are toxic to cells if added to cell cultures - but the metals are essential and must be part of the organism's nutritional supply.

There are 3 major electrolytes

Sodium (Na) - principal cation in extracellular fluids - functions include: osmotic equilibrium; acid-base balance; carbon dioxide transport; cell membrane permeability; muscle irritability
(Joseph and Meltzer "The influence of sodium and calcium upon direct and indirect muscle irritability and their mutual antagonistic." Proc Soc Exp Biol Med 1909, 6:104)

Metabolism: readily absorbed & excreted in the urine and sweat

Potassium (K) - - principal cation in intracellular fluid - all inside cells -almost none in serum
functions: buffer constituent; acid-base balance; water balance membrane transport; neuromuscular irritability

metabolism: readily absorbed (more so than sodium); intracellular; secreted by kidney (also in sweat)
Fresh fruits: bananas, cantaloupe, oranges, strawberries, kiwi, avocados, apricots; Fresh vegetables: greens, mushrooms, peas, beets, tomatoes; Meats: beef, fish, turkey; Juices: Orange, prune, apricot, grapefruit

Chloride (Cl) - an essential anion - closely connected with sodium in body tissues and fluids and excretions
Important for osmotic balance, acid-base balance and in the formation of gastric HCl

Na, K, Cl^- and Ca, P and Mg as structural elements (this is group 1 and 2)

RDA for adults: 1.1 to 3.3 g/day (under the heading of macromineral)

-sodium deficiency: dehydration; acidosis; tissue atrophy
-sodium excess: edema (hypertonic expansion; hypertension)

Sodium supplements: Gatorade and other sports drinks; food sources: table salt, salty foods, baking soda, milk

RDA for adults: 1.5 - 4.5 g/day (under the heading of macromineral)

-deficiency (hypokalemia - low blood K)
symptoms: profound weakness of skeletal muscles (paralysis and impaired respiration; weakness of smooth muscles; cardiac anomalies: AV block, cardiac arrest
-excess (hyperkalemia - high blood K);
symptoms: weakness and paralysis; cardiac anomalies - cardiac arrest

Hypochloremic alkalosis; pernicious vomiting; psychomotor disturbances

Calcium phosphate structural element

Calcium (Ca) - needed by all cells - found in largest amounts in bones (90%) as hydroxyapatite $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ - contraction and relaxation of muscles; stabilizes nervous tissue

-absorption is enhanced by: acid pH; vitamin D - calcium serum levels controlled by parathyroid hormone (PTH), calcitonin peptide and vitamin D (all work together to control deposition in bone; uptake of Ca from kidneys; Ca serum levels)

Phosphorus -required in many phases of metabolism
-80% is structural - insoluble apatite in bone and teeth)
-20% is very active metabolically

High energy phosphate compounds- ATP; nucleic acids; phospholipids

Regulated by Na-phosphate transporters and PTH

Magnesium (Mg) - second most plentiful cation in intracellular fluids (after K). 50% of total amount in bone; ~45% in muscle and nervous tissue; ~ 5% in extracellular fluids.

Functions: In enzyme systems as a required, transient cofactor of all enzymes involved in phosphate transfer reactions that use ATP and other nucleotide triphosphates

RDA adult: 800 mg/day (under the heading of macromineral)

Calcium supplements - calcium gluconate ; calcium carbonate, etc.

-Hypocalcemia - unusual - seizures; dementia; depression; parkinsonism;

-Hypercalcemia - benign to severe

RDA for phosphorus is established on the basis of a 1:1 relationship with calcium : adults: 800 mg/day

-hypophosphatemia: Not common

-foods rich in calcium are also richest in phosphorus (milk, cheese, eggs, beans, fish)

(under the heading of macromineral)

Hypomagnesemia: disorientation, psychotic behavior, convulsions; neurological & psychological disorders -

Hypermagnesemia - rare - but deadly - heart stops beating.


A bit of vocabulary/nomenclature:

'apoenzyme' or 'apoprotein' a protein (or enzyme) missing its essential cofactor (eg myoglobin without the heme = apomyoglobin; carbonic anhydrase without its Zn = apocarbonic anhydrase). Use 'holo' in place of 'apo' when the cofactor is bound.

Native: protein folded using H-bonding, electrostatic forces, and di-sulfide RS-SR bonds (**cystine**) made from 2 **cysteines** (RSH)

Denatured – unfolded – temperature, acid, denaturing agents. **Reversible/irreversible**.

Systematic names for enzymes - 6 classes (the number is part of the classification of enzymes): (NEED TO KNOW EXAMPLES – in 1,2,3,4 below)




- 1) Oxidoreductase: Oxidoreductases catalyze oxidation reduction reactions. At least one substrate becomes oxidized and at least one substrate becomes reduced. Also the transfer of H and O atoms.
 - alcohol dehydrogenase - Zn (x2); catalases (Fe-heme x4); xanthine oxidase (Mo & FeS) (xanthine to uric acid)

$\text{CH}_3\text{CH}_2\text{OH}^- \rightarrow \text{CH}_3\text{CHO}^-$
- 2) Transferase: Transferases catalyze group transfer reactions- the transfer of a functional group from one molecule to another.
 - methyltransferase (uses cobalamin - B12 -Co)

$\text{CH}_3 \rightarrow \text{Co}$
- 3) Hydrolase: In hydrolysis reactions, C-O, C-N, and C-S bonds are cleaved by addition of H_2O in the form of OH^- and H^+ to the atoms forming the bond.
 - carboxypeptidase - Zn

$\text{H}_2\text{O} + \text{CO}_2 \rightarrow \text{HCO}_3^- + \text{H}^+$
- 4) Lyase: Lyases cleave C-C, C-O, C-N, and C-S bonds by means other than hydrolysis or oxidation.
 - carbonic anhydrase - Zn
- 5) Isomerase: Isomerases just rearrange the existing atoms of a molecule, that is, create isomers of the starting material. (Often called 'mutases') Starting and finished molecule are isomers.
- 6) Ligase: Ligases synthesize C-C, C-S, C-O, and C-N bonds in reactions coupled to the cleavage of high energy phosphate bonds in ATP or some other nucleotide.



Tue. 23rd.
for notes about enzymes referred to above..

Metalloenzymes

metal is firmly bound *permanent binding site*
metal to protein ratio is constant
metal to enzyme activity ratio is constant
metal is unique — ie only one metal works
no enzyme activity without metal

Examples of metalloenzymes:

superoxide dismutase (Zn and Cu)
carboxypeptidase A (Zn) CPA
carbonic anhydrase (Zn) CA
cytochrome oxidase (Fe and Cu) CcOx
xanthine oxidase (Mo, Co and Fe)

myoglobin Fe

Metal-activated enzymes

metal is reversibly bound *transient*
metal to protein ratio is variable
metal to enzyme activity ratio is variable
metal is not necessarily unique
enzyme activity may continue without metal

Examples of metal-activated enzymes

creatine kinase (Mg, Mn, Ca or Co)
glycogen phosphorylase kinase (Ca)
salivary and pancreatic alpha-amylases (Ca)

1) Check one of catalase or horseradish peroxidase -- both use which metal and how?
(note xanthoxin dehydrogenase Mo enzymes in plants)

2) Look up cobalamin

3) Carboxypeptidase

-- alkaline phosphatase...why do you think Zn^{2+} is the cofactor for this but not the acid phosphatase?

4) Carbonic anhydrase

(Can you find an example that uses Mg^{2+} , Ca^{2+} or Mn^{2+} ?)

** so a "toxic" metal
blocks the binding
site*

no need to memorize this page. 2°/3°/4° structure



5) Phosphoglucomutase Four Domains EC 5.4.2.2 requires Mg(II) for activity (as usual, other M^{2+} ions work as well - the authors used Cd(II) - Wiki says "Mg & Cd", your view of this extrapolation?

(a mutase is a member of the isomerase enzymes): Mechanism for the phosphoglucomutase-catalyzed interconversion of glucose 1-phosphate and glucose 6-phosphate.


Rhyu; Ray; Markley (1984). "Enzyme-bound intermediates in the conversion of glucose 1-phosphate to glucose 6-phosphate by phosphoglucomutase. Phosphorus NMR studies". *Biochemistry* **23** (2): 252

6) Ligases forming C-O (& C-metal bonds) bonds pyruvate carboxylase - $ATP + \text{pyruvate} + HCO_3^- \rightarrow ADP + \text{phosphate} + \text{oxaloacetate}$ - a Mn (animals) or Zn (yeast) enzyme -

!! magnesium chelatase -- $ATP + PPIX + Mg^{2+} \rightarrow ADP + \text{phosphate} + Mg\text{-PPIX} + 2H^+$
check for Co-chelatase - where is the end product for this?




Example - Se referred to frequently - what do we know?



Glutathione peroxidase catalyzes:

$2\text{GSH} + \text{H}_2\text{O}_2 \rightarrow \text{GS-SG} + 2\text{H}_2\text{O}$, where GSH represents reduced glutathione, and GS-SG represents glutathione disulfide.

In the 2nd step, Glutathione reductase then reduces the oxidized glutathione to complete the cycle:



The Se is contained in the form of L-Selenocysteine; the three-letter symbol Sec and the one-letter symbol U. More than 20 human proteins that contain selenocysteine.

How to find out something more detailed - can find the X-ray or NMR coordinates → 3D structure.

<http://www.ncbi.nlm.nih.gov/protein/>

..here are details from the file for GSHPx

TITLE Sequence of a cDNA coding for human glutathione peroxidase confirms TGA encodes active site selenocysteine

JOURNAL Nucleic Acids Res. 15 (13), 5484 (1987)

```
/product="glutathione peroxidase 1 isoform 1"
/note="cellular glutathione peroxidase; GPx-1; GSHPx-1"
/calculated_mol_wt=21957
/note="Glutathione (GSH) peroxidase family; tetrameric
selenoenzymes that catalyze the reduction of a variety of
hydroperoxides including lipid peroxidases, using GSH as a
specific electron donor substrate. GSH peroxidase contains
one selenocysteine residue per...; cd00340"
```

ORIGIN

```
1 MCAARLAAAA AAAQSVYAFS ARPLAGGEPV
LGSLRGKVL LIENVASLU TTVRDYTQMN
61 ELQRRLLGPRG LVVLGFPCNQ FGHQENAKNE
EILNSLKYVR PGGGFEPNFM LFEKCEVNGA
121 GAHPLFAFLR EALPAPSDDA TALMTDPKLI
TWSPVCRNDV AWNFEKFLVG PDGVPLRRYS
181 RRFQTIDIEP DIEALLSQGP SCA
```

one-letter symbol U

The

Some examples ...(see next pages for more details)

OK - the good, the bad and the ugly (metals that is)..

The Good (well two examples)

Magnesium in chlorophyll

Iron in red blood cells

The bad

Cadmium in fertilizer..

The Ugly

As in pressure treated woods

Do a search - for magnesium - other examples in humans?

for cadmium - other sources for humans?

for arsenic - other human exposure? **

**Some answers to all these questions will be provided on the term test review package - can also ask at the tutorials.

The Good (first example)

Magnesium in chlorophyll


What to know from this?

The structure in the leaf; the structure of the chlorophyll ring (yes? Yes!). Not to draw but to assemble from the bits - to recognize - to identify where the Mg(II) is located.

(Why Mg(II) not Fe(II) in heme?)

Ans:)

See unit on Mg coming later.



OEC
oxygen
evolving
complex.
Mn ^{III} / ^{IV} & Ca ^{II}

©1999 Addison Wesley Longman, Inc.


The Good (second example)

Iron in heme proteins - hemoglobin


RED BLOOD CELLS



HEMOGLOBIN 4 PARTS 4 HEMES



HEME FE PROTOPORPHYRIN IX



The Bad (two examples)

Cadmium applied to soils in sewage sludge

-this means we get Cd in our veggies =not good but also smoking....

Human uptake of cadmium takes place mainly through food. Foodstuffs that are rich in cadmium can greatly increase the cadmium concentration in human bodies. Examples are liver, mushrooms, shellfish, mussels, cocoa powder and dried seaweed.

An exposure to significantly higher cadmium levels occurs when people smoke. Tobacco smoke transports cadmium into the lungs. Blood will transport it through the rest of the body.

<http://www.lenntech.com/periodic/elements/cd.htm>

Cadmium and nitrates from fertilizers cause environmental concerns

There is growing awareness throughout Western Europe about the impact fertilizers have on the environment. One concern relates to cadmium, a natural component in phosphate rock. Another centers on the nitrate content of drinking water. Some countries are further along than others in formulating laws on permissible levels of cadmium and nitrate release. And moves have been under way in Brussels toward drawing up standards for the 12 European Community member countries.

Cadmium is highly toxic, causing death of some forms of water life at concentrations of 0.1 ppm or less. It tends to accumulate in organisms over a period of time because it isn't readily eliminated.

Awareness of the health risks associated with cadmium isn't new. The element has been linked to the death and considerable physical discomfort of Japanese who ate contaminated rice grown in paddies irrigated with industrial wastewater (C&EN, Aug. 10, 1970, page 15). It is on the black list of substances cited in the framework convention for the protection of the Mediterranean Sea against pollution sponsored by the United Nations Environment Program (C&EN, Feb. 28, 1977, page 17). And the World Health Organization (WHO) has recommended that the provisional weekly intake by humans shouldn't exceed 400 to 500 µg.

Fertilizers aren't the only source of cadmium released to the environment. Cadmium is also a component of bat-

teries and tires, pigments and stabilizers, metal platings, and the powders in fluorescent light bulbs. It also occurs in gaseous effluents from incineration plants and coal-fired power stations.

In fertilizers, the amount of cadmium varies greatly from one source of phosphate supply to another. Deposits in Finland, the Soviet Union, and South Africa are lowest in cadmium, typically 3 mg per kg of the phosphate (P_2O_5) content, or even less. Jordanian rock has from 15 to 30 mg per kg of P_2O_5 . Cadmium in U.S. phosphate rock varies from about 20 to 120 mg per kg of P_2O_5 . Comparable levels for other countries where the rock occurs are 40 to 120 mg per kg of P_2O_5 in Morocco, 50 to 100 in Israel, 140 to 170 in Togo, and 220 to 280 in Senegal.

The rock's cadmium ends up in phosphoric acid and in the active ingredients of fertilizers made from it. Diammonium phosphate produced in the U.S., for example, can have from 20 to 80 mg per kg of P_2O_5 , that supplied by Tunisia 75 to 100. In the case of triple superphosphate, material from Morocco and Tunisia may contain as much as 120 mg per kg of P_2O_5 .

Denmark, Finland, the Netherlands, Sweden, and Switzerland are in the forefront of setting limits on the amount of released cadmium tolerated. Denmark aims to reduce the cadmium limit in fertilizers in stages, from 200 ppm this year to 50 ppm in 1998. Finland has a limit of 30 ppm of cadmium in fertilizer.

Authorities in the Netherlands are concerned because the mean weekly cadmium intake by the population is about 175 µg, notes Wim Sprong at the Ministry of Housing, Physical Planning & Environment in The Hague. "That means that possibly too many people are above the WHO recommended limit," he points out. "One of the problems is that we don't know precisely the form of the distribution curve."

Because cadmium is fairly easily taken up by crops, it is assimilated by dairy cattle, Sprong notes. The contention is that about half of that cadmium comes from fertilizers, half from both wet and dry deposition. "Since about 60% of the waste here in Holland is incinerated, this is an important cadmium source," he says. He admits, however, that the widespread use of cadmium by industry would make a reduction in the wet and dry deposition rates "virtually uncontrollable."

and

Lead in paint -
Trivial examples, unless
you are a kid of 3 who
sucks the Barbie...



The Canadian Press

or much more serious -
paint in homes

Most dangerous toys 2013
include lead-laced product,
small items

By The Associated Press, [Suzanne Kennedy](#) November 26, 2013 - 01:28 pm
Read

more: <http://www.wjla.com/articles/2013/11/trouble-in-toyland-report-released-by-u-s-public-interest-research-group-97391.html#ixzz2penrMgWI>

<http://www.cdc.gov/nceh/lead/>

Thousands of Barbie accessory toys recalled after lead violation

Last Updated: Wednesday, September 5, 2007 | 11:40 AM ET

The Associated Press

The U.S. Consumer Product Safety Commission, in cooperation with Mattel Inc., announced late Tuesday that it is recalling about 675,000 Chinese-made toys that have excessive amounts of lead paint.

A display of Barbie dolls at a department store in Beijing in August.
(Greg Baker/Associated Press)

The voluntary recall covers units of various Barbie accessory toys that were manufactured between Sept. 30, 2006, and Aug. 20, 2007.

"Consumers should stop using recalled products immediately unless otherwise instructed," said the agency's website.

As well, 8,900 different toys involving Big Big World 6-in-1 Bongo Band toys from the company's Fisher-Price brand were recalled. Those products were sold nationwide from July 2007 through August 2007.

New Requirements to Protect Children from Lead-Based Paint Hazards

Release date: 03/31/2008

Contact Information: Timothy Lyons, (202) 564-4355 / lyons.timothy@epa.gov; En español: Lina Younes, (202) 564-4355 / younes.lina@epa.gov Washington, D.C. - March 31, 2008)

To further protect children from exposure to lead-based paint, EPA is issuing new rules for contractors who renovate or repair housing, child-care facilities or schools built before 1978. Under the new rules, workers must follow lead-safe work practice standards to reduce potential exposure to dangerous levels of lead during renovation and repair activities

Cranium Cadoo Board Games Recalled Due to Violation of Lead Paint Standard
WASHINGTON, D.C. - The U.S. Consumer Product Safety Commission, in cooperation with the firm named below, today announced a voluntary recall of the following consumer product. Consumers should stop using recalled products immediately unless otherwise instructed.

Name of Product: Cranium Cadoo Board Games

Units: About 38,000

Importer: Cranium Inc., of Seattle, Wash.

Hazard: The surface paint on the die contains excessive levels of lead, violating the federal lead paint standard.

Lead-Based Paint Violations; Includes \$6,760 Penalty and Major Window Replacement Project

Font Scale: [AAA](#)

Posted 04 September 2008 @ 11:45 am EST

CHICAGO, Sept. 4 /PRNewswire-USNewswire/ -- U.S. Environmental Protection Agency Region 5 has settled a complaint against Wesley Realty Group in Evanston, Ill., for allegedly failing to warn tenants of 11 apartment buildings that their homes may contain lead-based paint hazards. A \$6,760 penalty must be paid and a window replacement project undertaken.

Lead paint still a 'hazard' at playground after 15 years Getting the Lead out

Meghan Foley, Senior Reporter

Issue date: 5/8/08 **Section:** [Getting the lead out](#)

The really Ugly (one example)

Arsenic in wood preservative
- think cottage decks and docks

What to know from this?

Cd is toxic (and essential) *Not in humans*
Pb is toxic and no known requirements - always toxic - especially to children!

As is also toxic but very small amounts in the diet appear to be essential

Not so

... next how did "we" evolve using so many metals?



3081

How did we evolve to use as many metals as this?

1. This graph suggests a possible reason.
2. Why so many different metals?
3. Why is Fe used so often?
4. Which are the key metals?
5. And how did the atmosphere influence evolution?
6. We'll come back in some more detail later in section 5.

Oceans had
high metal ion
content
because
no O_2

also
2+/3+/2+
and high/low
spins

$f_e \approx 1/111$

insoluble in
go O_2
presence




Figure 3. A comparison of the concentrations of elements in man and the environment showing accumulation and exclusion of certain elements by man. Data from ref. 9.

can be tuned

How did we evolve to use as many metals as this?

Although we find a large number of elements - they are not all in the same environment

1. Typically as free ions: group 1 and 2 - never (well never is a bit strong) for other metals (see the clause ******...) Na^+ , K^+ , Mg^{2+} , Ca^{2+} . These ions are involved in 'pumps' - gradients across membranes - osmotic pressure - electrical potentials - pH gradients
2. Coordinated metals - we find 'ligands' coordinated atoms for these metals - for all the other metals. Actually, Nature doesn't want 'free' metal ions floating around, because...?
3. Why is Fe so common?
 - a. 3 common oxidation states in biology: 2+, 3+ and 4+ (rarer)
 - b. Can be coordinated by 4, 5 or 6 ligands
 - c. Binds to S from Cys to N from His
4. Atmosphere - was oxygen poor and iron-rich to begin with, then? Oxygen from photosynthesis.

**** chaperones**

unpaired electrons from redox problem




Figure 3. A comparison of the concentrations of elements in man and the environment showing accumulation and exclusion of certain elements by man. Data from ref. 9.

We now know that metals are vital to health

How many foods do we eat contain metals?

1. Simple examples? Salt? Iron in?

Vitamin B12 - what is vitamin B12? - it's a vitamin so where's the ... metal? Is this molecule common in biology?

2. Do we have to learn this?

Porphyrins - p 22 KSK

Cobalamins ch 3 KSK

Problems to do


Identify 5 foods containing different metals using the text book or the internet or the next table

Foods with metals: Where do we obtain vit B12 from if not pills?

Practice drawing the porphyrin molecule - 4 parts - the metal and its ligand; the ring; the adenine; the sugar phosphate linker - we'll come back to these porphyrin-like molecules later

1. Salt - NaCl - controls fluid levels in mammals.
2. Iron in - hemoglobin - dioxygen transport (O_2).
3. Vitamin B12 is a cofactor - the key element in an enzyme - a cofactor makes the enzyme (catalyst) active. B12 has many roles, one is the methylation of Hg(II) to make CH_3HgCl - monomethyl mercury chloride - a neural toxin.
4. B12 is everywhere - other use is in extending alkyl chains - adding CH_3 connected with Folic Acid metabolism - very serious problems - but see the unit on B12 coming up.
5. For now note Co(III) is the metal that isn't toxic but Cr(VI) was worth a movie - the name was? staring?
6. Zinc, now zinc, such a wonderful metal....

7. Your choice.....



So, what do we eat? And why?

↓ deficiency

1. Ca ...muscles - nerves - skelton dev /cramps
2. Mg...bones - metabolism- energy - /confusion
3. Cr³⁺... isn't that in steel?-glucose metabolism - /diabetes
4. Cu - that's in wire? - bone formation - respiration - sorts out the chemistry ...-/ impaired respiration - weakness

What will we study?

1. Co - vit B12 - /pernicious anemia - (anemia will not end and death ensues)
2. Fe - lots of roles - hemoglobin - /anemia
3. Zn - like reinforcing rods - has a structural role in many enzymes - but also enzymatic active site role - wound healing - protein metabolism - gene chemistry - deficiency → retarded growth - sterility - lots of problems
4. And, the use of metals for therapeutic reasons - eg Pt - see KSK ch. 18/19
5. And, which metals are toxic - Hg, Cd, Pb, As - KSK ch 17

all for mammals

See more details next and later...

METAL	Sources (note the necessity of augmenting nutrients)	ESSENTIAL FUNCTIONS	SOME REPORTED Deficiency Symptoms
Calcium	milk, cheese, molasses, yogurt, dolomite Dairy, broccoli, figs, sardines	bone/tooth formation, blood clotting, heart rhythm, nerve transmission, muscle growth & contraction Muscle and nerve signaling, bone growth	heart palpitations, insomnia, muscle cramps, nervousness, arm & leg numbness, tooth decay
Chromium	brewer's yeast, clams, corn oil, whole grain cereals	blood sugar level, glucose metabolism	atherosclerosis, glucose intolerance in diabetics
Copper	legumes, nuts, organ meats, seafood, raisins, molasses, bone meal Lobster, crab, beans, nuts	bone formation, hemoglobin & red blood cell formation. "Mops up" of free radicals	general weakness, impaired respiration, skin sores
Iodine	seafood, kelp tablets, salt (iodized)	energy production, metabolism (excess fat), thyroid gland	cold hands & feet, dry hair, irritability, nervousness, obesity
Cobalt	Leafy green vegetables; meat and dairy products	Red blood cell formation	Folic acid deficiency – pernicious anemia
Iron	molasses, eggs, fish, organ meats, poultry, wheat germ, beans, spinach	Hemoglobin production, stress & disease resistance - Red blood cell function	breathing difficulties, brittle nails, iron deficiency anemia (pale skin, fatigue), constipation
Magnesium	Dark leafy vegetables;	Strong bones and teeth, muscle contraction	confusion, disorientation, easily aroused anger, nervousness, rapid pulse, tremors
Manganese	bananas, bran celery, cereals, egg yolks, green leafy vegetables, legumes, liver, nuts, pineapples, whole grains	enzyme activation, reproduction & growth, sex hormone production, tissue respiration	ataxia (muscle coordination failure), dizziness, ear noises, loss of hearing
Phosphorus	eggs, fish grains, glandular meats, meat, poultry, yellow cheese	bone/tooth formation, cell growth & repair, energy production, heart muscle contraction, kidney function, metabolism (calcium, sugar), nerve & muscle activity	appetite loss, fatigue, irregular breathing, nervous disorders, overweight, weight loss
Potassium	dates, figs, peaches, tomato juice, blackstrap, molasses, peanuts, raisins, seafood	heartbeat, rapid growth, muscle contraction	acne, continuous thirst, dry skin, constipation, general weakness, insomnia, muscle damage, nervousness, slow irregular heartbeat, weak reflexes
Sodium	salt, milk, cheese, seafood	normal cellular fluid level, muscle contraction	appetite loss, intestinal gas, muscle shrinkage, vomiting, weight loss
Sulphur	bran, cheese, clams, eggs, nuts, fish, wheat germ	collagen synthesis, tissue formation	not known
Zinc	brewer's yeast, liver, seafood, soybeans, spinach, sunflower seeds, mushrooms oysters, chick peas, whole grains	burn & wound healing, carbohydrate digestion, reproductive organ growth & development	delayed sexual maturity, fatigue, loss of taste, poor appetite, prolonged wound healing, retarded growth, sterility

Metals work with the enzymes to speed up essential chemical reactions.

•“Good metals” (e.g., calcium, zinc, cobalt) are important dietary staples – but, are “bad metals” always “bad”? What about the case of Se? Does more mean better?

A quick summary of metals so far:

Regulatory action: The metal ion gradients set up between Na^+ and K^+ and Mg^{2+} and Ca^{2+} using cell membranes

Roles in structural biology - particularly the skeleton and teeth: Mg^{2+} and Ca^{2+}

Roles in electron transfer: biological systems we need electrons to function and use $\text{Fe}^{2+} / \text{Fe}^{3+}$ in the cytochromes and ferredoxins, and Cu^{2+} in azurin, plastocyanin and stellacyanin.

The enzymes carboxypeptidase and alcohol dehydrogenase use Zn^{2+} ; superoxide dismutase (SOD) uses both Cu^{2+} and Zn^{2+}

Examples:

The enzymes horseradish peroxidase, cytochrome c peroxidase, and most important for mammals, catalase and cytochrome P450 **all use Fe in oxidation states of $2+/3+$ and $4+$ bound to a porphyrin ring, the heme group**

Oxygen (except in special circumstances) is at the key to oxidative phosphorylation - - the energy source - see LB ch 11, p 284.

In mammals - hemoglobins do this using the Fe in protoporphyrin IX - heme (p 285)

In molluscs and anthropods - crabs - hemocyanin uses 2 copper atoms - LB p 297.

In marine invertebrates - hemerythrin uses 2 non-heme Fe atoms - LB 291.

1046c2

Functions inspired by .. metals:

1. Microminerals and
Ultratrace - so Na / K /
Ca/ Mg not included!

BUT Vital.

2. DiOxygen transport
and storage

3. Fe, Cu, Fe

(Twice? Yes - hemoglobin
and hemerythrin - see LB
p 4)

4. Electron transport and
electron transfer

5. Structural control - Zn

6. All ESSENTIAL

Table 1.3 *Functions of essential macrominerals and trace elements*

<i>Element</i>	<i>Chief functions in the body</i>
Calcium	Principal constituent of bones and teeth: involved in muscle contraction and relaxation, nerve function, blood clotting, blood pressure.
Phosphorous	Part of every cell: involved in pH buffering
Magnesium	Involved in bone mineralization, protein synthesis, enzyme action, normal muscular contraction, nerve transmission.
Sodium	Helps maintain ionic strength of body fluids
Chloride	Part of stomach acid, necessary for proper digestion
Potassium	Facilitates many reactions, including protein synthesis, nerve transmission and contraction of muscles.
Sulfur	Component of certain aminoacids, part of biotin, thiamin and insulin.
Iodine	Part of thyroxin, which regulates metabolism
Iron	Haemoglobin formation, part of myoglobin, energy utilization.
Zinc	Part of many enzymes, present in insulin, involved in making genetic material and proteins, immunity, vitamin A transport, taste, wound healing, making sperm, normal fetal development
Copper	Absorption of iron, part of several enzymes
Fluoride	Formation of bones and teeth, helps make teeth resistant to decay and bones resistant to mineral loss
Selenium	Helps protect body compounds from oxidation
Chromium	Associated with insulin and required for the release of energy from glucose
Molybdenum	Facilitates enzyme functions and many cell processes
Manganese	Facilitates enzyme functions and many cell processes
Cobalt	Part of vitamin B ₁₂ , which involves in nerve function and blood formation
Vanadium	Control of sodium pump: inhibition of ATPase, <i>p</i> -transferases
Nickel	Constituent of urease, reduced haemopoiesis
Cadmium	Stimulates elongation Betois in ribosomes
Tin	Interactions with riboflavin
Lead	Many enzyme effects
Lithium	Control of sodium pump
Silicon	Structural role in connective tissue and osteogenic cells
Arsenic	Increased arginine urea + ornithine, Meto, metabolism of methyl compounds
Boron	Control of membrane function, nucleic acid biosynthesis and lignin biosynthesis

3105

Structural form of the metal changes

4. How the metal is bound to other atoms directly and completely controls its activity = function

5. We call this coordination by ligands

6. We will discuss this later but here are some examples




Figure 1.15 Coordination mode backbone in myoglobin. (B) Bou Figure 1.19 gives more details on showing coordination of a chelating complex of the photosynthetic reaction center (P680).

Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.

3105

Structural form of the metal changes

7. How the metal is bound to other atoms directly and completely controls its activity = function

8. We call this coordination by ligands

9. We will discuss this later but here are some examples




Figure 1.15 Coordination backbone in myoglobin. Figure 1.19 gives more showing coordination investing complex of the

Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe²⁺ in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn²⁺ in a zinc finger protein - and the colour picture - see next slide - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca²⁺ - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll -Mg²⁺ coordinated through the same 4 nitrogens as the Fe²⁺ in the heme, plus 5th and 6th positions will have waters.

3105


Structural form of the metal changes

10. How the metal is bound to other atoms directly and completely controls its activity = function


11. We call this coordination by ligands

12. We will discuss this later but here are some examples


(A)




(B)



(C)



(D)



Examining each of these structures - where's the metal? What is it? What's its coordination environment?

- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.

Figure 1.15
backbone in
Figure 1.19
showing coo
vesting comp

3105


Structural form of the metal changes

13. How the metal is bound to other atoms directly and completely controls its activity = function


14. We call this coordination by ligands

15. We will discuss this later but here are some examples


(A)




(C)



(B)



(D)



Examining each of these structures - where's the metal? What is it? What's its coordination environment?


- (A) Fe^{2+} in the heme (PPIX) coordinated by 4 N's in the plane - can't see here! - and a 5th in the 'proximal' position from the Histidine imidazole (His-93) and then either water or dioxygen in the 6th position (distal).
- (B) Zn^{2+} in a zinc finger protein - and the colour picture - 2 sulfurs from cysteines (Cys) and 2 nitrogens from histidine (His)
- (C) Ca^{2+} - coordinated to 7 ligands (usually just 6) all oxygen, 4 amino acids and 2 waters - Tyr, Asp, Gly, Gly
- (D) Chlorophyll - Mg^{2+} coordinated through the same 4 nitrogens as the Fe^{2+} in the heme, plus 5th and 6th positions will have waters.**

Figure 1.15
backbone in
Figure 1.19
showing coo
vesting comp

Which are toxic and why?

A powerful conceptual model

1. Toxic: Usually large and below the 4th row in the period table - when in 'excess'.
2. Key toxic metals: - Cd, Hg, Pb, As, but also Cr(VI) - 6+ not 3+? What coordinates it? Where does it end up? What does it block?
3. The chemical form is key to toxicity: eg Hg^{2+} vs. $(\text{CH}_3)\text{Hg}^+$.
4. Deficiency - Fe - for many -
5. Excess - Na for many ...
6. Disease - Sometimes genetic effects - Wilson's due to copper r such as the effect of clearing cisplatin for cancer.



Bertrand diagram helps define:

Essential - Normal levels
Deficient levels
Toxic levels

(see KSK p 9)

Need to realize that the correct form of a metal is also important, so Cr(III) is essential (diabetes) but Cr(VI) is toxic at all levels. Must define the form-speciation - the oxidation state and in many cases the actual complex. EG As(V) and As(III) are toxic; but if the As(V) exists as arsenobetaine, which it does in many species, eg in sea food- then it is completely harmless to humans!). But chromated copper arsenate (CCA) is very toxic.


Deficiency - Fe → anemia due to a lack of red blood cells - oxygen starvation

Zn → dwarfism - due to poor bone formation

Excess Na → hypertension - an imbalance in fluid ion content

Toxic Any metals (or other agent) that reduces metabolic activity

Of course, Cd^{2+} , Hg^{2+} , As^{3+} , and As^{5+} , but Na^+ ?



acute [] but - chronic, [] Time →

Not needed to be memorized.

We need essential elements, but more is not always better. All essential elements become toxic when consumed in quantities above a certain threshold.

C.G. Fraga / *Molecular Aspects of Medicine* 26 (2005) 235–244

241

Table 2

Dietary reference intakes (DRI) for manganese, iron, copper, zinc, and selenium^a

	EAR ^b	RDA ^b	AI ^b	UL ^b
Mn (mg/day)			2.3/1.8	11
Fe (mg/day)	6/8.1	8/18		45
Cu (mg/day)	0.7	0.9		10
Zn (mg/day)	9.4/6.8		11/8	40
Se (µg/day)	45	55		400

^a Values for this table were taken from dietary reference intakes (Food and Nutrition Board, 2000; Food and Nutrition Board, 2001).

^b *Estimated average requirement* (EAR), a nutrient intake value that is estimated to meet the requirement of half of the healthy individuals in a life stage and gender group; *recommended dietary allowance* (RDA), the dietary intake level that is sufficient to meet the nutrient requirements of nearly all healthy individuals in a life stage and gender group; *adequate intake* (AI): a recommended intake value based on observed or experimentally determined approximations or estimates of nutrient intake by a group (or groups) of healthy people that are assumed to be adequate (used when an RDA cannot be determined); *tolerable upper intake level* (UL), the highest level of nutrient intake that is likely to pose no risk of adverse health effects for almost all individuals in the general population. As intakes increase above the UL, the risk of adverse effects increases. Figures separated by a bar indicate values for men/women.

Chemical Speciation

Speciation refers to the chemical form in which the element is found. What is the oxidation state of the element? Is it "free" or solvated? Is it "organic"?

Different oxidation states can induce different physiological responses.

Biosci Rep. 2010 Apr 9;30(5):293-306.

Impact of selenite and selenate on differentially expressed genes in rat liver examined by microarray analysis.

Bosse AC, Pallauf J, Hommel B, Sturm M, Fischer S, Wolf NM, Mueller AS.

Interdisciplinary Research Centre, Institute of Animal Nutrition and Nutritional Physiology, Justus Liebig University Giessen, Germany.

Abstract

Sodium selenite and sodium selenate are approved inorganic Se (selenium) compounds in human and animal nutrition serving as precursors for selenoprotein synthesis. In recent years, numerous additional biological effects over and above their functions in selenoproteins have been reported. For greater insight into these effects, our present study examined the influence of selenite and selenate on the differential expression of genes encoding non-selenoproteins in the rat liver using microarray technology. Five groups of nine growing male rats were fed with an Se-deficient diet or diets supplemented with 0.20 or 1.0 mg of Se/kg as sodium selenite or sodium selenate for 8 weeks. Genes that were more than 2.5-fold up- or down-regulated by selenite or selenate compared with Se deficiency were selected. GPx1 (glutathione peroxidase 1) was up-regulated 5.5-fold by both Se compounds, whereas GPx4 was up-regulated by only 1.4-fold. Selenite and selenate down-regulated three phase II enzymes. Despite the regulation of many other genes in an analogous manner, frequently only selenate changed the expression of these genes significantly. In particular, genes involved in the regulation of the cell cycle, apoptosis, intermediary metabolism and those involved in Se-deficiency disorders were more strongly influenced by selenate. The comparison of selenite- and selenate-regulated genes revealed that selenate may have additional functions in the protection of the liver, and that it may be more active in metabolic regulation. In our opinion the more pronounced influence of selenate compared with selenite on differential gene expression results from fundamental differences in the metabolism of these two Se compounds.

Some oxidation states are much more toxic than others. Cr(III) is an essential element, but Cr(VI) is highly toxic and carcinogenic.

Toxic chromium found in Chicago drinking water

Detected levels are more than 11 times higher than California's new standard

By [Michael Hawthorne](#), Tribune reporter

August 6, 2011

Chicago's first round of testing for a toxic metal called hexavalent chromium found that levels in local drinking water are more than 11 times higher than a health standard California adopted last month.

But it could take years before anything is done about chromium contamination in Chicago and scores of other cities, in part because industrial polluters and municipal water utilities are lobbying to block or delay the Obama administration's move toward national regulations.

The discovery of hexavalent chromium in drinking water is renewing a debate about dozens of unregulated substances that are showing up in water supplies nationwide. Potential health threats from many of the industrial chemicals, pharmaceutical drugs and herbicides still are being studied, but researchers say there is strong evidence that years of exposure to chromium-contaminated water can cause stomach cancer.



Many metals form organometallic compounds. Mercury that is *biomagnified* in the food chain is usually a lipid-soluble organomercury such as CH_3HgCl . Mercury is a non-essential element and is toxic. KSK ch 17




Fig 1. Mercury cycling in a lake and its watershed. Mercury emissions are transported long distances, primarily as gaseous elemental mercury [$\text{Hg}(0)$], oxidized in the atmosphere to reactive gaseous mercury [$\text{Hg}(\text{II})$], and deposited in precipitation and by surface contact (dry deposition). Anaerobic bacteria convert a small portion of the incoming $\text{Hg}(\text{II})$ to methylmercury (MeHg), which is then bioconcentrated in the aquatic food chain (by a factor of $\geq 10^6$). Various biotic and abiotic reactions interconvert the different forms of Hg, affecting uptake, burial, and evasion back to the atmosphere.

PNAS 2007, 104, 16394-16395

How can we use metals therapeutically?

KSK ch 19


To:

- (A) Treat deficiencies
- (B) Treat disease
- (C) What other therapeutic uses of metals do you know?

Think Bi, Li, etc. Your list?


cis- Diamminedichloroplatin(II) (cisplatin)

treatment of testicular cancer



silver sulfadiazine cream

treatment of burns



henu Ag

Returning to our theme...

In the beginning - the hot, dusty, atmosphere gave way to the clear, rich atmosphere of today.

Table 1
A COMPARISON OF THE BIBLICAL AND THE SCIENTIFIC SEQUENCE
AND TIME TABLE FOR EVOLUTION

Biblical			Scientific	
Day	Creation of	Years ($\times 10^4$)	Evolution	Appearance of
1	Light, night, day	4600	Chemical Atomic Inorganic compounds	H, He, Li, Be, B, C, N, O, F, I, Na, Mg, Al, Si, P, S, Cl H ₂ , N ₂ , H ₂ O, CH ₄ , NH ₃ , CO, CO ₂ ; No O ₂
2	Firmament	4000	Biological Organic compounds	Aldehydes, carboxylic acids, amino acids
3	Land, water, sea	3500	Anaerobic bacteria	Life Photosynthesis
4	Grass	2500	Anaerobic photosynthetic bacteria	
		2000	Eukaryotic cells	Oxygen atmosphere Oxidative phosphorylation
		1500	Multicellular plants	Protein synthesis
5	Creatures in water, fowls, whales	1000	Multicellular animals	Genetic transcription
6	Vertebrates, mammals Man	400 <0.1	Modern man	

REFERENCES

1. Genesis 1:1-5.
2. Genesis 1:6-8.
3. Genesis 1:9,10.
4. Genesis 1:11-13.
5. Genesis 1:14-19.
6. Genesis 1:20-23.
7. Genesis 1:24.

The Periodic Table

Parts of the Periodic Table we must learn

1. Gp 1 & 2

2. Selected Row 4 d-block
Elements

Note key metals

3. Essential

4. In medicine

5. Toxic

Periodic Table we must learn

s-block

Period

	1	2																	18/VIII
	3	4											5	6	7	8	9	10	
2	Li 6.941	Be 9.012											B 10.81	C 12.01	N 14.01	O 16.00	F 19.00	Ne 20.18	
3	11 Na 22.99	12 Mg 24.30											13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95	
4	19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.88	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.39	31 Ga 69.72	32 Ge 72.61	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80	
5	37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc 98.91	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3	
6	55 Cs 132.9	56 Ba 137.3	La-Lu	72 Hf 178.5	73 Ta 180.9	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po 210.0	85 At 210.0	86 Rn 222.0	
7	87 Fr 223.0	88 Ra 226.0	Ac-Lr	104 Unq	105 Unp	106 Unh	107 Uns	108 Uno	109 Une									

s block

d block

p block

Section next"

Lanthanides

Actinides

57 La 138.9	58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm 144.9	62 Sm 150.4	63 Eu 152.0	64 Gd 157.2	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
89 Ac 227.0	90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np 237.0	94 Pu 239.1	95 Am 243.1	96 Cm 247.1	97 Bk 247.1	98 Cf 252.1	99 Es 252.1	100 Fm 257.1	101 Md 256.1	102 No 259.1	103 Lr 260.1

f block

-see "Key points section next"

6. Need to learn for tests: -

Expectations from this unit	Where and how
Know that very many metals are present in natural organisms – with amounts that vary by 10,000's (in a human 44 kg Ca to 2 mg Se)	Opening lecture And first chapters of each reference book in the library
Understand the difference between 'what's found when you grind up an organism' and 'what's essential nutrition for an organism's well-being'	First few pages and discussions from the lecture and by reading the early pages on the reference books – could use the Internet too
Know that there are essential metals and really toxic metals	Examples?
Know your way round the Periodic Table – which metals are – macro levels (>5 gms) which are μ levels, which are ultra-trace – mg levels	Need to remember the Periodic Table (exact elements will be provided by Dr Stillman) no Periodic Table in Tests.
Know that metals are absorbed from foods	Know at least one food per metal
Know that evolution resulted in iron being used in many proteins – evn though today that would be unlikely to happen	Opening – means iron in our diet is very important
Know the difference between 'free' and 'coordinated' metal ions	Be able to describe what's shown on pages 19 or so
Know the Bertrand Diagram as a tool	
Know some examples of metals used therapeutically	May need to do a search for extra examples.

Key points from this unit

1	<p>Many Essential Metals: H, Na, K, Mg, Ca, Cr, Mn, Fe, Co, Ni, Cu, Zn, and a many others - some we don't know about like Cd - over 35 different elements in the typical organism.</p> <p>Metals come from different parts of the Periodic Table - the region of the Periodic Table controls the chemical properties - identify typical chemistry from Groups 1&2; 16 & 17; 2-12.</p>
2	Both essential and toxic? Almost all for sure, but 'strangely' at low levels, Cr, Co, Cu, Cd, As, Se and others.
3	Therapeutic - Pt, Au, Ag, Li, Cu, Fe, Bi
4	Toxic for sure: Cd, Hg, As, Pb, and many others, especially at high concentrations.
5	<p>Metals are attached to ligands most of the time.</p> <p>Which are typical atoms for good ligands? Why are they good? What is the key requirement? Which molecules would you find those atoms in in biological systems?</p> <p>Some metals are not bound all the time - which metals are they?</p> <p>Some metals - a few - exist as the ions under certain conditions and are bound tightly to ligands to work - which metals are they?</p>
Study questions from the lectures to date	
Lectures	What do the alkali metals do? What does Fe do? Mg is different in plants and mammals, identify a key difference in chemistry of Mg^{2+} in mammals and plants.
Key questions to	<p>Ch 1 in KSK - 'what do we mean by the interface between inorganic chemistry and biology?'</p> <p>Give a definition of bioinorganic chemistry</p>

consider
on this
unit

Give two examples

What is not an example taken from the real world

Separate the concentration of metals into bulk, trace and ultra trace

Name one metal from each class

Approximate limits on each class? In a 70 kg human: 10's-1000's g; >20 mg; <20 mg

Is the role of each metal now defined?

Coordination means shape - that comes from the ligands attached - name 3 ligand molecules identifying the attached atom (see below as well)

In figure3081 here p 10 approx we see that Fe is high in the crust, and quite high in man, but Fe is very low in seawater today. Explain this. How did mammals evolve to use Fe then?

Account for the properties of the atmosphere. Reducing then, oxidizing now.

Account for how the pH affected incorporation of elements like Mo, Al and Ti

Identify 5 foods containing different metals using the textbook or the Internet.

How is vitB12 connected with the toxicity of mercury?

Glutamate mutase - as the example of B12 action

What is a vitamin? Why do we need them?

We are what we eat -

Identify the food source, bodily functions; deficiency symptoms for:

Ca, Cr, Cu, iodine, Fe, Mg, K, Na, Zn

Which metals are unexpected?

Search the Internet for each metal AND one specific function - metal & molecule &

	<p>activity</p> <p>Coordination of metals</p> <p>Identify 3 different ways metals are attached to ligands in biological materials</p> <p>Explain the dose-response curve commonly called the Bertrand diagram</p> <p>Sketch the curve for mercury; sketch for Zn</p> <p>Periodic Table - know the 4 major alkali metal and alkaline earth metals - d block metals - know 3 key and essential -</p> <p>Know 2 metals used in medicine</p> <p>Know 4 really toxic metals</p>
<p>Some useful definitions - A nutrient is a chemical that an organism needs to live and grow or a substance used in an organism's metabolism which must be taken in from its environment.^[1]</p> <p>organic - fats, sugars, proteins, amino acids, vitamins</p> <p>inorganic- minerals</p> <p>Macronutrients - needed in large amounts - are defined in several different ways.</p> <ul style="list-style-type: none"> ▪ The <u>chemical elements</u> humans consume in the largest quantities these are - are <u>carbon</u>, <u>hydrogen</u>, <u>nitrogen</u>, <u>oxygen</u>, <u>phosphorus</u>, and <u>sulfur</u>. CHNOPS ▪ The classes of <u>chemical compounds</u> humans consume in the 	<p>Together, the "Big Six" are the elemental macronutrients for all organisms CHNOPS</p> <ul style="list-style-type: none"> ▪ <u>macrominerals</u>. <p><u>Calcium</u>, <u>salt</u> (<u>sodium</u> and <u>chloride</u>), <u>magnesium</u>, and <u>potassium</u> (along with phosphorus and sulfur) are sometimes added to the <u>list of macronutrients</u> because they are required in large quantities compared to other vitamins and minerals.</p>

largest quantities and which provide bulk energy are carbohydrates, proteins, and fats.

-
- *Water and atmospheric oxygen also must be consumed in large quantities, but are not always considered "food" or "nutrients".*
-

The remaining vitamins, minerals, fats or elements, are called **micronutrients** because they are required in relatively small quantities.

micronutrients

Silicon, chloride, sodium, copper, zinc, and molybdenum are sometimes also included, but are in other cases considered .^[10]

Now to Inorganic chemistry. This will also span a number of lectures.

B) Important chemistry and special inorganic chemistry for bioinorganic chemistry

- a. Periodic table
- b. Elements, transition metals, trends, electronic configurations, d orbitals
- c. Special molecules that bind metals
 - a. Ligands - special features of ligands
 - b. Hard and Soft metals and ligands
 - c. Shapes of complexes
- d. Kinetics - 1st order reactions - $\frac{1}{2}$ lives - enzyme kinetics
- e. Metal-Ligand complex formation
 - a. Equilibrium constants

KSK p 14 onwards